

GLACIERS OF ASIA

- F-1. GLACIERS OF THE FORMER SOVIET UNION
By VLADIMIR M. KOTLYAKOV, *senior author, with contributions from* A.M. DYAKOVA (Siberia), V.S. KORYAKIN (Russian Arctic Islands), VI. KRAVTSOVA (Caucasus, Altay), G.B. OSIPOVA (Tien Shan), G.M. VARNAKOVA (Pamirs and Alai Range), V.N. VINOGRADOV (Kamchatka), O.N. VINOGRADOV (Caucasus), and N.M. ZVERKOVA (Ural Mountains and Taymyr Peninsula)
With sections on FLUCTUATIONS OF GLACIERS OF THE CENTRAL CAUCASUS AND GORA EL'BRUS
(With a subsection on THE GLACIOLOGICAL DISASTER IN NORTH OSETIYA, *by* VLADIMIR M. KOTLYAKOV, O.V. ROTOTAEVA, and G.A. NOSENKO, INVESTIGATIONS OF THE FLUCTUATIONS OF SURGE-TYPE GLACIERS IN THE PAMIRS BASED ON OBSERVATIONS FROM SPACE, *by* VLADIMIR M. KOTLYAKOV, G.B. OSIPOVA, and D.G. TSVETKOV, and THE GLACIOLOGY OF THE RUSSIAN HIGH ARCTIC FROM LANDSAT IMAGERY, *by* J.A. DOWDESWELL, E.K. DOWDESWELL, M. WILLIAMS, and A.F. GLAZOVSKII
- F-2. GLACIERS OF CHINA
By SHI YAFENG, MI DESHENG, YAO TANDONG, ZENG QUNZHU, and LIU CHAOHAI
- F-3. GLACIERS OF AFGHANISTAN
By JOHN E. SHRODER, JR., and MICHAEL P. BISHOP
- F-4. GLACIERS OF PAKISTAN
By JOHN E. SHRODER, JR., and MICHAEL P. BISHOP
- F-5. GLACIERS OF INDIA
By CHANDER P. VOHRA
With an updated supplement on A STUDY OF SELECTED GLACIERS UNDER THE CHANGING CLIMATE REGIME
By SYED IQBAL HASNAIN, RAJESH KUMAR, SAFARAZ AHMAD, and SHRESTH TAYAL
- F-6. GLACIERS OF NEPAL — GLACIER DISTRIBUTION IN THE NEPAL HIMALAYA WITH COMPARISON TO THE KARAKORAM RANGE
By KEIJI HIGUCHI, OKITSUGU WATANABE, HIROJI FUSHIMI, SHUHEI TAKENAKA, and AKIO NAGOSHI
With a supplement by YUTAKA AGETA
- F-7. GLACIERS OF BHUTAN
By SHUJI IWATA
- F-8. THE PALEOENVIRONMENTAL RECORD PRESERVED IN MIDDLE-LATITUDE, HIGH-MOUNTAIN GLACIERS: AN OVERVIEW OF U.S. GEOLOGICAL SURVEY RESEARCH IN CENTRAL ASIA AND THE UNITED STATES
By L. DeWAYNE CECIL, DAVID L. NAFTZ, PAUL F. SCHUSTER, DAVID D. SUSONG, and JAROMY R. GREEN

SATELLITE IMAGE ATLAS OF GLACIERS OF THE WORLD

Edited by RICHARD S. WILLIAMS, JR., and JANE G. FERRIGNO

U.S. GEOLOGICAL SURVEY PROFESSIONAL PAPER 1386-F

Landsat images, other satellite images, and other data are used to discuss the geographic distribution of ice caps, outlet glaciers, valley glaciers and other glaciers in Asia, and glaciological hazards in the Himalaya

UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON: 2010

CONTENTS

Glaciers of the Former Soviet Union — by V.M. Kotlyakov, senior author, with contributions from A.M. Dyakova (Siberia), V.S. Koryakin (Russian Arctic Islands), V.I. Kravtsova (Caucasus, Altay), G.B. Osipova (Tien Shan), G.M. Varnakova (Pamirs and Alai Range), V.N. Vinogradov (Kamchatka), O.N. Vinogradov (Caucasus), and N.M. Zverkova (Ural Mountains and Taymyr Peninsula) -----		1
Abstract -----		1
Introduction -----		1
Discussion of Glaciers by Region -----		2
FIGURE 1. Glacierized regions of the Former Soviet Union according to the Glacier Inventory of the USSR -----		3
TABLE 1. Data on the glaciers of the Former Soviet Union -----		3
FIGURE 2. Morphological types of mountain glaciers adopted for the Glacier Inventory of the USSR -----		4
Caucasus (in Russia and the Republic of Georgia) -----		4
FIGURE 3. Map of the glacierization of a large portion of the Caucasus region, compiled for the World Atlas of Snow and Ice Resources -----		5
TABLE 2. Distribution of glaciers in the main regions of the Caucasus -----		5
TABLE 3. Glacier complexes and large glaciers of the Caucasus -----		6
TABLE 4. The distribution of glaciers and glacier complexes in the Caucasus based on their area -----		6
TABLE 5. The distribution of glaciers of the Caucasus according to morphological types -----		7
FIGURE 4. Part of an enlarged Landsat 2 MSS image taken on 9 July 1976, and map of the morphological types of glaciers of the same part of the Western Caucasus, including Gora El'brus -----		7
FIGURE 5. Aerial photograph of the Lednik Marukhskiy taken on 15 September 1955, and a series of glaciological maps of this glacier based on detailed studies done during the IHD -----		8-9
FIGURE 6. Enlargement of part of a Landsat 2 MSS image taken on 9 July 1976, depicting the El'brus massif -----		10
FIGURE 7. Panoramic photographic mosaic of the northern and southern slopes of Gora El'brus -----		10
FIGURE 8. Part of an enlargement of a Landsat 2 MSS image of the Central Caucasus, taken on 13 September 1977, and map of the morphological types of glaciers of the Central Caucasus -----		11
FIGURE 9. Two enlargements of the part of the Central Caucasus around Lednik Bezengi depicted on Landsat 2 MSS images taken on 9 July 1976 and 13 September 1977 -----		12
FIGURE 10. Illustrations of the surging <i>Lednik Kolka</i> , Gora Kazbek: Aerial photograph, sketch map of the advance, and morphology of the glacier basin -----		13
FIGURE 11. Part of the Eastern Caucasus with the <i>Djul'tydag</i> range depicted on a Landsat 2 MSS image taken on 28 August 1976 -----		14
Pamirs, Alai (Alayskiy), and Gissar (Hisor) Ranges (in the Republics of Tajikistan, Kyrgyzstan, and Uzbekistan) -----		14
TABLE 6. Largest glaciers of the Pamirs and the Gissar (Hisor) and Alai (Alayskiy) Ranges -----		15
TABLE 7. Distribution of glaciers based on their area -----		15
FIGURE 12. Landsat 2 MSS image of the Central Pamirs acquired on 28 September 1977, and the distribution pattern of the area and number of glaciers related to glacier orientation in the Hisor and Alayskiy Ranges and the Pamirs -----		16
FIGURE 13. The Lednik Bivachnyy surging glacier, tributary of Lednik Fedchenko with loops of medial moraines -----		17

FIGURE 14. Enlargement of part of the Landsat image, showing the Lednik Fedchenko basin, and sketch map showing the distribution pattern of morphological types of glaciers in this area -----	18
FIGURE 15. Enlargement of part of the Landsat image of 28 September 1977, showing the eastern part of Zaalayskiy Khrebet (Qatorkühi Pasi Oloy) and part of the Eastern Pamirs, and sketch map showing the pattern of morphological types of glaciers in this region -----	19
FIGURE 16. Debris-free slope glaciers of the Eastern Pamirs -----	20
FIGURE 17. Enlargement of part of the Landsat image, showing the upper reaches of the Saukdara river, and sketch map of surges of the Saukdara group of glaciers from 1973 to 1977 -----	20
FIGURE 18. Photograph taken August 1976 of the rapid advance of ice of <i>Lednik Valy</i> caused by its surge -----	21
FIGURE 19. Photograph showing the western part of the Khrebet Alayskiy on 18 September 1976 -----	22
Tien Shan (in the Republics of Kyrgyzstan and Kazakhstan) -----	22
FIGURE 20. Morphological types of glaciers in the western part of Khrebet Alayskiy delineated from space photographs and images -----	23
TABLE 8. Distribution of Tien Shan glaciers in various river or lake basins -----	23
Piks Pobedy and <i>Khan-Tengri</i> in Central Tien Shan -----	24
FIGURE 21. Part of a Landsat 2 MSS image of the Pobedy and <i>Khan Tägiri/Kan-Too</i> peak region taken on 16 October 1976 -----	24
TABLE 9. Largest glaciers in the Tien Shan -----	25
TABLE 10. Distribution of glaciers in two regions of the Central Tien Shan based on their area -----	25
FIGURE 22. Enlargement of part of a Landsat 1 MSS image taken on 18 September 1973, and aerial photograph and map of the same area -----	26
Khrebet Ak-Shyyrak in Central Tien Shan -----	27
FIGURE 23. Enlargement of part of a Landsat 1 MSS image of Khrebet Ak-Shyyrak taken on 18 September 1973, map of the morphological types of glaciers, and distribution pattern of the area and number of glaciers -----	28
FIGURE 24. Aerial photograph of <i>Lednik Severniy Karasay</i> in Khrebet Ak-Shyyrak -----	28
Altay (Russia and Kazakhstan) -----	29
FIGURE 25. Glaciers in the main mountain-glacier areas of the Altay — on the Katunskiy, Severo-Chuyskiy, and Yuzhno-Chuyskiy Khrebet, and the distribution pattern of the area and number of glaciers -----	29
TABLE 11. Largest glaciers in the Russian Altay -----	30
FIGURE 26. Image of the central Altay with the Gora Belukha glacier group taken from the Salyut-1 space station on 14 June 1971; and comparison of the delineation of the glacier boundaries shown on topographic maps and derived from the space image -----	31
FIGURE 27. Part of a Landsat 2 MSS image of Katunskiy Khrebet taken on 11 July 1977, map of surface morphology, and morphological types of glaciers in this region -----	32
FIGURE 28. Part of the Landsat 2 MSS image taken on 11 July 1977 of the <i>Bish-Irdu</i> glacier complex in the Severo-Chuyskiy Khrebet, enlarged portion of the image, and depiction of this region on a map -----	33
Ural Mountains (Ural'skiye Gory) -----	34
FIGURE 29. Enlargement of a Landsat 1 MSS image of the Northern Urals acquired on 25 June 1973 -----	34
FIGURE 30. Distribution pattern of glaciers in the Polar Urals, and by area and number related to orientation -----	35
FIGURE 31. Part of an enlargement of a Landsat 1 MSS image of part of the Polar Urals acquired on 6 March 1973: <i>Bol'shoy Khadyta</i> river-valley, and location of the <i>Lednik Obrucheva</i> -----	36

FIGURE 32. Aerial photograph taken on 30 July 1953 of <i>Lednik Obrucheva</i> ; morphology of the surface; and changes of the surface elevation of the <i>Lednik Obrucheva</i> in the Polar Urals -----	36
The Byrranga Mountains (<i>Gory Byrranga</i>) in Northern Russia -----	37
FIGURE 33. Landsat 1 MSS image acquired 26 July 1973 showing the distribution of glaciers in the <i>Gory Byrranga</i> in the region near lat. 76°N, long. 108°E.; sketch of glacier location; and dis- tribution pattern of glacier orientation in the <i>Gory Byrranga</i> -----	37
Northeastern Siberia -----	38
FIGURE 34. Distribution of glaciers over <i>Khrebet Suntar-Khayata</i> ; distribution patterns of the number and area of glaciers relating to the orientation in <i>Khrebet Suntar-Khayata</i> ; and <i>Khrebet</i> <i>Cherskogo</i> -----	38
TABLE 12. Distribution of glaciers in the <i>Khrebet Suntar-Khayata</i> based on their size -----	39
FIGURE 35. Enlargements of two Landsat 2 MSS images of the <i>Koryakskoye</i> highland, northeastern Siberia, taken on 2 July 1975 and 26 August 1975; and distribution of glaciers in the highest part of the <i>Koryakskoye</i> highland -----	39
FIGURE 36. Distribution of <i>aufeis</i> areas in northeastern Siberia -----	40
Kamchatka -----	40
FIGURE 37. Morphological types of present-day glaciers in the volcanic regions of Kamchatka -----	41
FIGURE 38. Aerial photograph of glaciers in the crater and on the slopes of <i>Vulkan Mutnovskaya Sopka</i> -----	41
Russian Arctic -----	42
Franz Josef Land (<i>Zemlya Frantsa-Iosifa</i>) -----	42
FIGURE 39. Glacierized regions of Franz Josef Land: western region; central region; and eastern region -----	43
TABLE 13. The area of glaciers in Franz Josef Land -----	43
FIGURE 40. Landsat 3 MSS image of the western part of Franz Josef Land acquired on 24 March 1978 -----	44
Severnaya Zemlya -----	44
FIGURE 41. Glacierization of <i>Severnaya Zemlya</i> -----	45
TABLE 14. The area of glaciers on <i>Severnaya Zemlya</i> -----	45
FIGURE 42. Landsat 1 MSS image of the northern part of <i>Severnaya Zemlya</i> taken on 28 July 1973 -----	46
Novaya Zemlya -----	47
Conclusions -----	47
FIGURE 43. Glacierization of <i>Novaya Zemlya</i> -----	48
Acknowledgments -----	48
TABLE 15. The glaciers on <i>Novaya Zemlya</i> -----	49
FIGURE 44. Landsat 1 MSS image of the central part of <i>Novozemel'skiy</i> <i>ice cap</i> taken on 23 July 1973 -----	49
TABLE 16. Optimum Landsat 1, 2, and 3 MSS images of glaciers of the Former Soviet Union -----	50–55
FIGURE 45. Index map of the optimum Landsat 1, 2, and 3 MSS images of the Former Soviet Union -----	56–58
Fluctuations of Glaciers of the Central Caucasus and <i>Gora El'brus</i> , with a Section on the Glaciological Disaster in North Osetiya — by V.M. Kotlyakov, O.V. Rototaeva, and G.A. Nosenko -----	59
Introduction -----	59
FIGURE 46. Image of <i>Gora El'brus</i> and its glaciers on 25 August 2002 -----	60
FIGURE 47. ASTER image of the glaciers on the southern slope of <i>Gora El'brus</i> taken on 15 September 2001 -----	60
FIGURE 48. Map of the glaciers of <i>Gora El'brus</i> -----	61

TABLE 17. Changes in the position of the termini of El'brus glaciers during different periods of observation	61
FIGURE 49. Part of the 25 August 2002 International Space Station image enlarged to show the lake-moraine complex near the terminus of the retreating <i>Lednik Birdzhalytchiran</i> , Gora El'brus	63
FIGURE 50. Aerial and space photographs of <i>Lednik Bol'shoy Azau</i> , Gora El'brus, showing changes in the terminus shape and position	64
FIGURE 51. Aerial photograph (1987) of the terminus of <i>Lednik Ullumalienderku</i> , Gora El'brus, during a surge event	65
Glaciological Disaster in North Osetiya	66
FIGURE 52. Photographs (1981 and 2004) of the <i>Lednik Kukurtli</i> , Gora El'brus	67
FIGURE 53. ASTER image taken on 15 September 2001, showing glaciers of the central Caucasus	68
TABLE 18. Changes in the position of glacier termini from 1987 to 2001/04 in the Tcherok River basin	68
FIGURE 54. Image taken from the International Space Station in 2002, showing the retreating <i>Lednik Karaugom</i>	69
FIGURE 55. Aerial photograph taken in July 2004 of the terminus of <i>Lednik Ailama</i> and the stagnant terminus of <i>Lednik Dykh-su</i> covered with debris	69
FIGURE 56. Photograph taken in August 2003 of the advancing front of <i>Lednik Mizhirgitchiran</i>	70
FIGURE 57. Oblique aerial photograph of avalanche debris in the Karmadon basin caused by the 20 September 2002 catastrophic collapse of the <i>Lednik Kolka</i>	70
FIGURE 58. Two ASTER images of the Genaldon river valley, scene of the <i>Lednik Kolka</i> disaster	71
FIGURE 59. Oblique aerial photograph taken on 21 September 2002, looking southwest at the avalanche debris saturated with water	72
FIGURE 60. Oblique aerial photograph taken on 24 September 2002, looking south at the mountain crest in the source region of <i>Lednik Kolka</i>	73
FIGURE 61. International Space Station image taken on 13 August 2002 of <i>Lednik Maili</i> and <i>Lednik Kolka</i>	74
FIGURE 62. Oblique aerial photograph taken September 2002, looking south at the empty cirque of <i>Lednik Kolka</i> after the disaster	74
FIGURE 63. International Space Station image taken on 19 October 2002, looking south at Gora Kasbek volcanic massif and the cirques of <i>Ledniki Maili</i> and <i>Kolka</i>	75
FIGURE 64. Enlarged section of 27 September 2002 ASTER image	75
FIGURE 65. Terrestrial photograph taken on 28 June 2003 of one of the lakes in the <i>Kolka</i> bed dammed by a combination of ice and debris	76
FIGURE 66. Oblique aerial photograph taken on September 2003, looking southeast at the collapsing avalanche debris in Karmadon basin and the dammed lake near Saniba settlement one year after the disaster	76
Investigations of the Fluctuations of Surge-Type Glaciers in the Pamirs based on Observations from Space — by V.M. Kotlyakov, G.B. Osipova, and D.G. Tsvetkov	77
Introduction	77
Compilation of an Inventory of Surging Glaciers of the Pamirs	77
TABLE 19. The number of surge-type glaciers in the large river basins of the Pamirs	78
TABLE 20. The largest observed surges of the glaciers of the Pamirs from 1960 to 2003	78
FIGURE 67. KFA-1000 photograph taken in 1973 from a Resurs-F1 satellite showing surge-type glaciers in the Central Pamirs	79

FIGURE 68. KFA-1000 photograph taken in 1985 from a Resurs-F1 satellite showing surge-type glaciers in the central part of Zaalayskiy Khrebet (Qatorkūhi Pasi Oloy in Tajikistan, Chong Alay Kyrka Toosu in Kyrgyzstan)	80
Investigation of the Fluctuation Regime of Compound Glaciers	80
FIGURE 69. Morphology of the lower part of Lednik Oktyabr'skiye from 1946 to 1990	81
FIGURE 70. Photographs from space of Lednik Oktyabr'skiye	82
FIGURE 71. Graph of the velocity of the ice movement along longitudinal profile of Lednik Oktyabr'skiye, showing the stage of recovery (1972–1985) and the surge (1985–1990)	82
FIGURE 72. Photographs of <i>Lednik Bivachniy</i> and <i>Lednik Moscow State University</i> : 1973, pre-surge; 1980, post-surge; and 2001 soon after the successive surge	83
FIGURE 73. Images from space of the <i>Gando-Dorofeeva</i> glacier system before, during, and after the 1989–1990 surge	84
The State of Surging Glaciers — <i>Ledniki Medvezhiy</i> and <i>Geograficheskogo Obschestva</i>	85
FIGURE 74. Aerial photographs showing the tongue of <i>Lednik Medvezhiy</i> during the surge of 1988 to 1989, and in 2001	86
FIGURE 75. Sketch map of the <i>Lednik Geograficheskogo Obschestva</i> (RGO Glacier) basin showing glaciers, the reconstructed outline of the glacier's terminus in 1916, a reconstructed dammed lake in 1916, locations of velocity profiles, and a mudflow on the surface of the glacier in September 2002	88
FIGURE 76. Aerial photograph taken on 13 October 2002 of the terminus of <i>Lednik RGO</i> , looking northeast	89
FIGURE 77. International Space Station images of <i>Lednik RGO</i> taken on 25 June 2001 and 30 September 2002	90
Investigations of the Fluctuations of “Normal” Non-Surging Glaciers in the Eastern Pamirs	90
FIGURE 78. Landsat image of the Eastern Pamirs where glacier-retreat measurements listed in table 21 were made	91
TABLE 21. Retreat velocity of the termini of glaciers of the Eastern Pamirs from 1972 to 2001	92
FIGURE 79. Sketch map showing the retreat of the terminus of <i>Lednik Severniy Zulumart</i> (Eastern Pamirs) based on interpretation of a 1946 aerial photograph and 1972, 1978, 1990, and 2001 space images and photographs	92
TABLE 22. Retreat of the terminus and decrease in the area of the tongue of <i>Lednik Severniy Zulumart</i> from 1946 to 2001	93
The Glaciology of the Russian High Arctic from Landsat Imagery — by J.A. Dowdeswell, E.K. Dowdeswell, M. Williams, and A.F. Glazovskii	94
Abstract	94
Introduction	95
Glaciological Background	95
FIGURE 80. Map of the Russian High Arctic showing the major ice-covered archipelagos of Franz Josef Land, Novaya Zemlya, and Severnaya Zemlya, together with the smaller glacierized islands further east	96
FIGURE 81. Diagrams showing the effects of cloud cover on Landsat image quality for selected Path–Rows in the Russian High Arctic, including Franz Josef Land, Novaya Zemlya, and Severnaya Zemlya: April to September, May, July, and September	97
Franz Josef Land	98
Severnaya Zemlya	98
FIGURE 82. Map of the Franz Josef Land archipelago showing the distribution of ice masses	99

FIGURE 83. Map of the islands of Severnaya Zemlya showing the distribution of ice masses -----	100
FIGURE 84. Landsat false-color Multispectral Scanner image of the ice caps in northern Severnaya Zemlya-----	101
Novaya Zemlya-----	102
Other Glacierized Islands in the Russian High Arctic-----	102
FIGURE 85. Map of Novaya Zemlya showing the distribution of ice masses-----	103
Glaciological Investigation of Russian High Arctic Ice Masses from Landsat Imagery-----	104
Ice-Surface Topography-----	104
FIGURE 86. Map of the ice divides on the ice caps of Franz Josef Land, shown on a georeferenced mosaic of Landsat TM images acquired on 25 July 1986-----	105
Ice Dynamics-----	105
Outlet Glaciers and Icebergs-----	105
FIGURE 87. Landsat TM image sub-scene showing an example of the major ice divides on the Ostrov Gallya ice cap in Franz Josef Land-----	106
FIGURE 88. Digitally enhanced Landsat TM image sub-scene of the major ice divide running along the northeast-southwest trending spine of Novaya Zemlya-----	107
FIGURE 89. Landsat TM images of iceberg-producing outlet glaciers draining ice caps in the Russian High Arctic-----	108
FIGURE 90. Four georeferenced and edge-enhanced sub-scenes of Landsat images of the <i>Lednik Znamenityy</i> on Zemlya Vil'cheka, Franz Josef Land, showing large numbers of tabular icebergs-----	109
Floating Ice Shelves or Ice Tongues-----	110
FIGURE 91. Annotated Landsat TM band 3 image sub-scene of the <i>Lednik Matushevicha</i> on Ostrov Oktyabr'skoy Revolyutsii, Severnaya Zemlya-----	110
FIGURE 92. Graph showing ice-surface profiles from two ice shelves and their parent drainage basins on Severnaya Zemlya, derived from analysis of Russian aerial photographs from the 1950s-----	111
FIGURE 93. Landsat TM image of three flat ice-marginal glacier termini on the ice cap on Ostrov Zemlya Georga, western Franz Josef Land-----	112
FIGURE 94. Map of the ice caps on Franz Josef Land, with marginal areas of low surface gradient-----	113
Surge-Type Glaciers-----	114
FIGURE 95. Digitally enhanced Landsat TM image of the outlet glaciers entering Zaliv Nordenshel'da, Novaya Zemlya-----	115
Snow-and-Ice Facies and Glacier Mass Balance-----	115
FIGURE 96. Digitally enhanced Landsat TM sub-scene showing the snow-and-ice facies on a summer image of the <i>Lednik Kropotkina</i> on Ostrov Zemlya Aleksandry, Franz Josef Land-----	116
FIGURE 97. Landsat TM sub-scene of Ostrov Ketlitsa, Franz Josef Land-----	117
Conclusions-----	118
Acknowledgments-----	119
References Cited-----	119