

# Introduction to Nonlinear Optics

---

GEOFFREY NEW

Quantum Optics & Laser Science Group

Blackett Laboratory

Imperial College London



CAMBRIDGE  
UNIVERSITY PRESS

# Contents

|  |             |    |
|--|-------------|----|
| <i>Preface</i>   | <i>page</i> | xi |
| <i>Acknowledgements</i>  |             | xv |
| <b>1 Introduction</b>  | 1           |    |
| 1.1 Nonlinearity in physics  | 1           |    |
| 1.2 The early history of nonlinear optics                                | 2           |    |
| 1.3 Optical second harmonic generation                                   | 3           |    |
| 1.4 Phase matching   | 5           |    |
| 1.5 Symmetry considerations  | 6           |    |
| 1.6 Optical rectification  | 7           |    |
| 1.7 The Pockels effect   | 9           |    |
| 1.8 Sum frequency generation   | 9           |    |
| 1.9 Difference frequency generation and optical parametric amplification | 11          |    |
| 1.10 Third-order processes   | 12          |    |
| 1.11 Theoretical foundations   | 13          |    |
| 1.12 The growth of nonlinear optics                                      | 15          |    |
| <b>2 Frequency mixing</b>  | 19          |    |
| 2.1 Introduction and preview   | 19          |    |
| 2.2 Electromagnetic theory   | 19          |    |
| 2.3 Second harmonic generation   | 21          |    |
| 2.3.1 Coupled-wave equations   | 21          |    |
| 2.3.2 The low-depletion approximation                                    | 22          |    |
| 2.3.3 Manley–Rowe relations for second harmonic generation               | 23          |    |
| 2.3.4 Interlude: third harmonic generation                               | 24          |    |
| 2.3.5 The antenna picture  | 25          |    |
| 2.3.6 Phase relationships and quasi-phase matching                       | 26          |    |
| 2.3.7 Additional features  | 29          |    |
| 2.4 General three-wave processes   | 29          |    |
| 2.4.1 Coupled-wave equations and the Manley–Rowe relations               | 29          |    |
| 2.4.2 Modified field variables   | 31          |    |
| 2.4.3 Sum and difference frequency generation                            | 32          |    |
| 2.4.4 Optical parametric amplification                                   | 32          |    |
| 2.4.5 Tuning characteristics   | 35          |    |
| 2.4.6 Optical parametric oscillators                                     | 36          |    |

|          |   |           |
|----------|---|-----------|
| 2.5      | Focused beams   | 37        |
| 2.5.1    | Introduction  | 37        |
| 2.5.2    | Gaussian beams and the Gouy phase                       | 38        |
| 2.5.3    | Harmonic generation with Gaussian beams                 | 41        |
| 2.5.4    | Focused beams: summary                                  | 43        |
| <b>3</b> | <b>Crystal optics</b>                                   | <b>45</b> |
| 3.1      | Preview   | 45        |
| 3.2      | Crystal symmetry  | 45        |
| 3.3      | Light propagation in anisotropic media                  | 48        |
| 3.3.1    | Maxwell's equations                                     | 48        |
| 3.3.2    | The constitutive relation                               | 51        |
| 3.3.3    | The index ellipsoid: ordinary and extraordinary waves   | 52        |
| 3.3.4    | Index surfaces  | 54        |
| 3.3.5    | Walk-off  | 55        |
| 3.4      | Wave plates   | 56        |
| 3.5      | Biaxial media   | 57        |
| 3.5.1    | General features  | 57        |
| 3.5.2    | Propagation in the principal planes: the optic axes     | 58        |
| 3.5.3    | Positive and negative crystals                          | 60        |
| <b>4</b> | <b>Nonlinear optics in crystals</b>                     | <b>62</b> |
| 4.1      | Introduction and preview                                | 62        |
| 4.2      | The linear susceptibility                               | 62        |
| 4.3      | Structure of the nonlinear coefficients                 | 63        |
| 4.3.1    | Formal definition                                       | 63        |
| 4.3.2    | Intrinsic permutation symmetry                          | 64        |
| 4.3.3    | Full permutation symmetry and the Manley–Rowe relations | 65        |
| 4.3.4    | Contracted suffix notation                              | 65        |
| 4.3.5    | The Kleinmann symmetry condition                        | 66        |
| 4.4      | Crystal symmetry  | 67        |
| 4.5      | Second harmonic generation in KDP                       | 68        |
| 4.6      | Second harmonic generation in LBO                       | 70        |
| 4.7      | The Pockels effect and the Pockels cell                 | 72        |
| 4.8      | Optical rectification                                   | 74        |
| <b>5</b> | <b>Third-order nonlinear processes</b>                  | <b>76</b> |
| 5.1      | Introduction  | 76        |
| 5.2      | Basic third-order processes                             | 77        |
| 5.2.1    | Definitions   | 77        |
| 5.2.2    | Symmetry considerations                                 | 78        |
| 5.2.3    | Third harmonic generation                               | 79        |
| 5.2.4    | The DC Kerr effect and the Kerr cell                    | 80        |
| 5.2.5    | The optical Kerr effect                                 | 81        |

|          |   |            |
|----------|---|------------|
| 5.2.6    | Intensity-dependent refractive index                          | 82         |
| 5.2.7    | Spatial solitons, self-focusing, and self-phase modulation    | 83         |
| 5.3      | Stimulated Raman scattering                                   | 87         |
| 5.3.1    | Raman coupling of laser and Stokes waves                      | 87         |
| 5.3.2    | Anti-Stokes generation and higher-order effects               | 90         |
| 5.3.3    | Raman waves   | 91         |
| 5.4      | Interaction of optical and acoustic waves                     | 95         |
| 5.4.1    | Physical basis  | 95         |
| 5.4.2    | Diffraction of light by ultrasound                            | 97         |
| 5.4.3    | The acousto-optic dispersive filter                           | 99         |
| 5.5      | Stimulated Brillouin scattering                               | 101        |
| 5.5.1    | Introduction  | 101        |
| 5.5.2    | The coupled-wave equations of stimulated Brillouin scattering | 103        |
| 5.5.3    | Approximations and solutions                                  | 104        |
| 5.6      | Optical phase conjugation                                     | 107        |
| 5.6.1    | Phase conjugate beams   | 107        |
| 5.6.2    | Phase conjugation by four-wave mixing                         | 110        |
| 5.6.3    | Phase conjugation by stimulated Brillouin scattering          | 112        |
| 5.7      | Supercontinuum generation                                     | 114        |
| <b>6</b> | <b>Dispersion and optical pulses</b>                          | <b>116</b> |
| 6.1      | Introduction and preview                                      | 116        |
| 6.2      | Dispersion in the phase and group velocities                  | 116        |
| 6.3      | Dispersion and chirping of a Gaussian pulse                   | 120        |
| 6.3.1    | Propagation analysis  | 120        |
| 6.3.2    | Characteristic dispersion distance                            | 121        |
| 6.3.3    | The bandwidth theorem and the time–bandwidth product          | 122        |
| 6.3.4    | Chirp   | 122        |
| 6.4      | Hyperbolic secant profiles                                    | 124        |
| 6.5      | Compression using gratings and prisms                         | 125        |
| 6.6      | Optical pulse propagation                                     | 128        |
| 6.6.1    | Pulse propagation equation                                    | 128        |
| 6.6.2    | Transformation to local time                                  | 128        |
| <b>7</b> | <b>Nonlinear optics with pulses</b>                           | <b>131</b> |
| 7.1      | Introduction and preview                                      | 131        |
| 7.2      | Wave equation for short pulses                                | 131        |
| 7.3      | Self-phase modulation   | 132        |
| 7.4      | Self-phase modulation with dispersion: optical solitons       | 135        |
| 7.5      | Self-steepening and shock formation                           | 138        |
| 7.6      | Compression of self-phase modulated pulses                    | 140        |
| 7.7      | Group velocity dispersion in second harmonic generation       | 145        |

|          |   |            |
|----------|---|------------|
| 7.8      | Optical parametric chirped pulse amplification              | 148        |
| 7.8.1    | The basic principle   | 148        |
| 7.8.2    | Bandwidth enhancement with a chirped pump                   | 150        |
| 7.8.3    | Bandwidth enhancement with non-collinear beams              | 151        |
| 7.8.4    | Optical parametric generation in three dimensions           | 152        |
| 7.9      | Nonlinear optical diagnosis of short pulses                 | 155        |
| 7.10     | Mode-locked pulse trains and carrier envelope phase control | 158        |
| <b>8</b> | <b>Some quantum mechanics</b>                               | <b>162</b> |
| 8.1      | Introduction  | 162        |
| 8.2      | Basic ideas   | 163        |
| 8.3      | The Schrödinger equation                                    | 163        |
| 8.4      | The density matrix  | 165        |
| 8.4.1    | Definition of the density matrix                            | 165        |
| 8.4.2    | Properties of the density matrix                            | 167        |
| 8.5      | Introduction to perturbation theory                         | 167        |
| 8.6      | First-order perturbation theory                             | 168        |
| 8.7      | Second-order perturbation theory                            | 171        |
| 8.7.1    | Second harmonic generation                                  | 171        |
| 8.7.2    | Discussion and interpretation                               | 172        |
| 8.7.3    | The second harmonic coefficient                             | 175        |
| 8.7.4    | Sum frequency generation                                    | 176        |
| 8.7.5    | Optical rectification                                       | 178        |
| 8.8      | Third-order perturbation theory                             | 178        |
| 8.8.1    | Third harmonic generation                                   | 178        |
| 8.8.2    | Intensity-dependent refractive index                        | 179        |
| <b>9</b> | <b>Resonant effects</b>                                     | <b>184</b> |
| 9.1      | Introduction  | 184        |
| 9.2      | Resonance in the linear susceptibility                      | 184        |
| 9.3      | Raman resonances  | 186        |
| 9.4      | Parametric and non-parametric processes                     | 188        |
| 9.5      | Coherent effects  | 189        |
| 9.5.1    | The optical Bloch equations                                 | 189        |
| 9.5.2    | The Bloch vector  | 191        |
| 9.6      | Self-induced transparency                                   | 192        |
| 9.6.1    | Preview   | 192        |
| 9.6.2    | Motion of the Bloch vector: the Rabi frequency              | 193        |
| 9.6.3    | Pulse area and the area theorem                             | 194        |
| 9.6.4    | Outline proof of the area theorem                           | 197        |
| 9.6.5    | The steady-state solution                                   | 197        |
| 9.7      | Electromagnetically-induced transparency and slow light     | 198        |

|   |     |
|---|-----|
| <b>10 High harmonic generation</b>  | 204 |
| 10.1 Introduction to high harmonic generation   | 204 |
| 10.2 Classical model  | 206 |
| 10.2.1 Electron trajectories  | 206 |
| 10.2.2 Recollision energy   | 209 |
| 10.2.3 High harmonic spectra  | 211 |
| 10.2.4 Phase matching   | 213 |
| 10.3 Attosecond pulses  | 214 |
| 10.4 Discrete harmonics in high harmonic generation                                       | 216 |
| <b>Appendix A Conventions and units</b>   | 218 |
| A1 Introduction   | 218 |
| A2 The nonlinear polarisation   | 219 |
| A3 Coupled-wave equations   | 220 |
| <b>Appendix B Linear and nonlinear susceptibilities in the time and frequency domains</b> | 221 |
| B1 Non-instantaneous response: the time and frequency domain equations                    | 221 |
| B2 The linear term  | 222 |
| B3 The second-order nonlinear term  | 223 |
| <b>Appendix C Definition of the nonlinear coefficients</b>                                | 225 |
| C1 Introduction   | 225 |
| C2 Second-order processes   | 225 |
| C2.1 Sum frequency generation and intrinsic permutation symmetry                          | 225 |
| C2.2 Second harmonic generation   | 227 |
| C2.3 Note on non-collinear beams  | 228 |
| C2.4 The general second-order process   | 228 |
| C2.5 Optical rectification and the Pockels effect   | 229 |
| C3 Third-order processes  | 229 |
| C3.1 Summary of third-order results   | 229 |
| C3.2 Example: intensity-dependent refractive index  | 230 |
| <b>Appendix D Non-zero <i>d</i> elements in non-centrosymmetric crystals</b>              | 232 |
| <b>Appendix E Real fields, complex fields, and the analytic signal</b>                    | 234 |
| <b>Appendix F Geometry of the grating pair</b>  | 235 |
| <b>Appendix G The paraxial wave equation</b>  | 236 |
| <b>Appendix H Useful formulae for numerical simulations</b>                               | 237 |
| <b>Appendix I Useful constants</b>  | 239 |

|                            |     |
|----------------------------|-----|
| <i>Answers to problems</i> | 240 |
| <i>Further Reading</i>     | 248 |
| <i>References</i>          | 249 |
| <i>Index</i>               | 253 |