

PAUL SCHERRER INSTITUT



SLS-2

Conceptual Design Report

PSI Bericht Nr. 17-03

Dezember 2017

ISSN 1019-0643

Contents

1	Introduction	1
1.1	Synchrotron light sources - from the past to the presence	1
1.2	The new light source generation 3+	4
1.3	Design features of SLS-2	4
2	Lattice Design	7
2.1	Introduction	7
2.2	Concept for a compact low emittance lattice	8
2.3	The SLS upgrade lattice	12
2.4	Non-linear dynamics	17
2.5	Lattice Imperfections	20
2.6	Stochastic effects	26
2.7	Magnet parameters	27
2.8	Advanced modes of operation: round beam	28
3	Instabilities and Impedances	29
3.1	Introduction	29
3.2	Coupled bunch modes	30
3.3	Longitudinal single bunch instabilities	32
3.4	Ion trapping	38
3.5	Other instabilities	40
4	Magnets	43
4.1	Combined function VB/BN/VB magnets	44
4.2	Combined function reverse bend AN	45
4.3	Higher order multipoles	46

4.4	Superconducting longitudinal gradient bend	54
5	Vacuum System	63
5.1	Introduction	63
5.2	Vacuum Performance	63
5.3	Vacuum Chamber Design	69
5.4	Photon Absorption	73
5.5	Vacuum chamber connections	75
5.6	NEG activation	75
6	Mechanical Engineering	79
6.1	Introduction to the girder concept	79
6.2	Girder requirements	80
6.3	Design considerations	81
6.4	Girder Configuration	85
7	Injection	89
7.1	Introduction	89
7.2	The anti-septum injection scheme	89
7.3	Multipole kicker injection	92
7.4	Beam injection at the early stage of the commissioning	94
7.5	Transport line modification	95
7.6	Emittance exchange	96
8	Radio Frequency System	97
8.1	RF Parameters and Specification for the Storage Ring	97
8.2	Modifications for SLS-2	101
9	Diagnostics	105
9.1	Overview	105
9.2	Beam Position Monitors (BPM)	105
9.3	Fast Orbit Feedback	108
9.4	Current Monitor (NPCT)	111
9.5	Filling Pattern Monitor (FPM) and Streak Camera (S-CAM)	111
9.6	Beam Loss Monitors (LBLM and BLM)	112

9.7	BTR Diagnostics Upgrade and Screen Monitors (SCM) for the Injection Straight	112
9.8	Storage Ring Profile and Emittance Monitors	113
9.9	Photon Beam-Based Diagnostics	113
10	Power supplies	117
10.1	Key issues and challenges	117
10.2	Power supplies for the SLS-2 storage ring	117
10.3	Existing SLS power supplies: Reuse or replace?	122
11	Control System	123
11.1	EPICS	123
11.2	Software	124
11.3	Hardware	124
12	Alignment	125
12.1	Survey net and component alignment	125
12.2	Coordinate frame	125
12.3	Survey reference network	125
12.4	Instrumentation	125
12.5	Component Installation	126
12.6	Final alignment	126
13	Insertion Devices	127
13.1	Introduction	127
13.2	Soft x-ray	129
13.3	Hard x-ray	131
13.4	Tender x-ray	133
14	Infrastructure	135
14.1	Building	135
14.2	Technical Infrastructure	137
14.3	Radiation protection	140
14.4	Installation / project plan	140

15 Schedule and Costs	143
15.1 Planning	143
15.2 Cost and manpower	145
Bibliography	147
A Executive Summary of the Conceptual Design Review Committee	157