Aquatic Chemistry Concepts

Second Edition

James F. Pankow

CRC Press
Taylor & Francis Group
Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group, an **informa** business

Contents

Foreword ... xxi
Preface to the First Edition ... xxiii
Author ... xxv

PART I Introduction

Chapter 1 Overview ... 3
- 1.1 General Importance of Aquatic Chemistry ... 3
- 1.2 Important Types of Chemical Reactions in Natural Waters ... 3
- 1.3 Concentration Scales ... 5
  - 1.3.1 General ... 5
  - 1.3.2 Molarity ... 5
  - 1.3.3 Molality ... 5
  - 1.3.4 Formality ... 6
  - 1.3.5 Mole Fraction ... 7
  - 1.3.6 Weight Fractions: ppm, ppb, and ppt ... 10
- 1.4 Activity and Activity Coefficients ... 15
  - 1.4.1 Basic Principles ... 15
  - 1.4.2 γ_i (Molal Scale Activity Coefficient in Water) Depends on What i Is, and on the Nature of the Solution ... 18
- 1.5 Equilibrium *vs.* Kinetic Modeling ... 20
  - 1.5.1 General ... 20
  - 1.5.2 Kinetic Approaches ... 20
  - 1.5.3 Thermodynamic Equilibrium Approach ... 23
    - 1.5.3.1 General ... 23
    - 1.5.3.2 Systems at Constant T and P (the Emphasis Here) *vs.* Systems at Constant T and V ... 23
    - 1.5.3.3 Equilibrium Constants – General ... 23
    - 1.5.3.4 Concentration Scales and Equilibrium Constants ... 25
- References ... 26

Chapter 2 Thermodynamic Principles ... 27
- 2.1 Free Energy and Chemical Change ... 27
  - 2.1.1 Systems at Constant Temperature (T) and Pressure (P) ... 27
  - 2.1.2 Systems at Constant Temperature (T) and Volume (V) ... 28
- 2.2 A Potential Energy Analog for Chemical Energy-Driven Chemical Change ... 29
- 2.3 Chemical Potential and Its Relationship to Free Energy G ... 30
- 2.4 Properties and Applications of the Chemical Potential ... 32
  - 2.4.1 General ... 32
  - 2.4.2 Changes in Free Energy ... 32
  - 2.4.3 The Role and Nature of μ_i° ... 35
  - 2.4.4 Standard Free Energies of Formation (ΔG_f°) for Neutral Species ... 37

2.4.5 Standard Free Energies of Formation (ΔG_f°) Values for Ionic Species 40
2.4.6 Concentration Scales and Standard States 41
2.4.7 The Standard State and the Activity Coefficient Reference Convention 42
2.4.7.1 General 42
2.4.7.2 Why Choose a Hypothetical Standard State for μ_i° on the Molality Scale? 42
2.4.7.3 Meaning of the Hypothetical $\gamma_i = 1.0$, $m_i = 1.0$ Standard State 42
2.5 Effects of T and P on Equilibrium Constants 43
2.6 Combining Equilibrium Expressions (to Get New Ones) 46
2.7 Infinite Dilution, Constant Concentration, and "Mixed" Equilibrium Constants 47
2.7.1 Infinite Dilution Constants 47
2.7.2 Constant Ionic Medium Constants 48
2.7.3 Mixed Constants 49
2.8 Activity Coefficient Equations 50
2.8.1 Activity Coefficient Equations for Single Ions 50
2.8.2 Activity Coefficient Equations for Neutral Species 53
References 54

PART II Acid/Base Chemistry

Chapter 3 The Proton (H^+) in Aquatic Chemistry 57

3.1 General Importance of H^+ in Natural Waters 57
3.2 Should We Refer to the Proton in Water as H^+ or H_3O^+? 60
3.2.1 Definitions 60
3.2.2 The Meaning for Both [H^+] and [H_3O^+]: Protons in Water Exist as a Set of Species H^+, H_3O^+, $H_5O_2^+$, … 60
References 61

Chapter 4 The Electroneutrality Equation, Mass Balance Equations, and the Proton Balance Equation 63

4.1 Introduction 63
4.2 The Electroneutrality Equation (ENE) 63
4.3 Mass Balance Equations (MBEs) 65
4.4 The Proton Balance Equation (PBE) 67

Chapter 5 Quantitative Acid/Base Calculations for Any Solution of Acids and Bases 73

5.1 Introduction 73
5.2 Solution of the Generic Acid HA, All $\gamma_i = 1$ 73
5.2.1 Introduction 73
5.2.2 Solving for the Speciation for a Solution of HA – All $\gamma_i = 1$, Otherwise No Simplifying Assumptions 75
5.2.3 The [H^+] Polynomial Version in the HA Solution Problem 79

5.2.4 Simplifying Using the Acidic Solution Approximation (ASA) for a Solution of HA 80
5.2.4.1 ASA Alone 80
5.2.4.2 ASA + WAA: Acidic Solution Approximation *Plus* Weak Acid Approximation (WAA) for a Solution of HA 82
5.2.4.3 ASA + SAA: Acidic Solution Approximation *Plus* Strong Acid Approximation (SAA) for a Solution of HA 83
5.3 Solution of the Generic Base NaA, All $\gamma_i = 1$ 85
5.3.1 Introduction 85
5.3.2 Solving for the Speciation for a Solution of NaA – All $\gamma_i = 1$, Otherwise No Simplifying Assumptions 86
5.3.3 Simplifying Using the Basic Solution Approximation (BSA) for a Solution of NaA 89
5.3.3.1 BSA Alone 89
5.3.3.2 BSA + WBA: Basic Solution Approximation *Plus* Weak Base Approximation (WBA) for a Solution of NaA 91
5.3.3.3 BSA + SBA: Basic Solution Approximation *Plus* Strong Base Approximation (SBA) for a Solution of NaA 92
5.4 Solutions of H_2B, NaHB, and Na_2B, All $\gamma_i = 1$ 92
5.4.1 Introduction – α Values for the Species Related to a Diprotic Acid 92
5.4.2 Solution of H_2B of Concentration C (F) 93
5.4.3 Solution of NaHB of Concentration C (F) 95
5.4.4 Solution of Na_2B of Concentration C (F) 95
5.4.5 A Solution of H_2B, or NaHB, or Na_2B of Concentration C (F) 95
5.5 Solutions of Ammonia and Ammonium Salts 96
5.5.1 The Monoprotic Acid Form (NH_4^+) Is Ionic, the Conjugate Base Form (NH_3) Carries No Charge 96
5.5.2 Solution of NH_4Cl of Concentration C (F) 96
5.5.3 Solution of NH_3 of Concentration C (F) 97
5.6 Setting Up the ENE to Solve for the Speciation of Any Acid/Base Problem 98
5.6.1 Foundational Principles 98
5.6.2 A Set of α Values for Each Acid/Base Family 98
5.7 General Approach for Solving for the Speciation Including Activity Corrections 99
5.7.1 Using ${}^cK$ Values When Making Activity Corrections 99
5.7.2 Activity Corrections When the Final Ionic Strength I Is Known *A Priori* 100
5.7.3 Activity Corrections When *A Priori* the Final Ionic Strength I Is Not Known 101
Reference 103

Chapter 6 Dependence of α Values on pH, and the Role of Net Strong Base 105

6.1 Introduction 105
6.2 Log α and Log [ ] *vs.* pH Plots for Monoprotic Acid Systems 105
6.2.1 Log α *vs.* pH Plots 105

6.2.2 pH $\ll$ pK_a 106
6.2.3 pH $\gg$ pK_a 107
6.2.4 Log [ ] *vs.* pH Plots 108
6.3 Log [ ] *vs.* pH Plots and the Range of Chemistries of Solutions in a Monoprotic Acid System 109
6.3.1 Solution of HA – "The HA Equivalence Point" 109
6.3.2 Solution of NaA – "The NaA Equivalence Point" 111
6.3.3 Solutions Other than Simply "Solution of HA" or "Solution of NaA" 112
6.3.4 $C_B - C_A$: The Units of Net Strong Base Are Equivalents of Charge per Liter 113
References 116

Chapter 7 Titrations of Acids and Bases 117
7.1 Introduction 117
7.2 Titrations in a Monoprotic Acid System 118
7.2.1 General Considerations and Two Instructional Limiting Cases 118
7.2.2 *f* and *g* – The Math and the Meanings 120
7.2.3 Titrations with a Range of pK_a Values, and Inflection Points (IPs) 123
7.3 Using the 1st Derivative to Find Titration Curve Equivalence Points (EPs) 127
7.4 Gran Titration Functions 130
7.4.1 General Considerations 130
7.4.2 The "Outer" Gran Functions in an HA System: Quantifying Strong Acid and Weak Acid Levels with $F_{f<0}^{HA}$ and $F_{f>1}^{HA}$ 131
7.4.2.1 Background 131
7.4.2.2 $F_{f<0}^{HA}$ 131
7.4.2.3 $F_{f>1}^{HA}$ 132
7.4.3 The Inner Gran Functions ($0 < f < 1$) in an HA System: $F_{f<1}^{HA}$ and $F_{f>0}^{HA}$ 135
7.4.3.1 $F_{f<1}^{HA}$ 135
7.4.3.2 $F_{f>0}^{HA}$ 136
7.4.4 Determining Alkalinity (Alk) in the CO_2 System: $F_{f<0}^{CO_3^{2-}}$ 137
References 140

Chapter 8 Buffer Intensity β 143
8.1 Introduction 143
8.2 β in Monoprotic Acid Systems 145
8.3 Equation for β in a Monoprotic Acid System 147
8.4 β as a Function of K_a, A_T, and pH 150
8.4.1 General 150
8.4.2 Comparing the $2.303\alpha_0\alpha_1 A_T$ Curve to the Lines for $2.303[H^+]$ and $2.303[OH^-]$ 151
8.5 β in Systems Containing More than One Acid/Base Pair, or a Polyprotic Acid 153

8.6 Effects of Dilution on pH in Buffer Solutions 156
  8.6.1 General 156
  8.6.2 Specifics 156

Chapter 9 Chemistry of Dissolved CO_2 159

9.1 Introduction 159
9.2 Terms Describing the Titration Position of a CO_2 System 161
  9.2.1 General 161
  9.2.2 Alk and H^+-Acy: The $f = 0$ ($H_2CO_3^*$) Equivalence Point 166
  9.2.3 The Base-Side Analogs of H^+-Acy and Alk: OH^--Alk and Acy and the $f = 2$ (Na_2CO_3) Equivalence Point 172
  9.2.4 Alk = ANC, Acy = BNC 173
9.3 Conservation of Alkalinity 173
  9.3.1 General 173
  9.3.2 Conservation of Alk during Addition or Removal of CO_2 173
  9.3.3 Conservation of Alk during Changes in T or P 174
  9.3.4 Conservation of Total Equivalents of Net Strong Base during Mixing of Solutions 174
  9.3.5 Lack of Conservation of Alk during Precipitation or Dissolution of Carbonate Minerals 175
9.4 Log Concentration Diagrams in Closed (Fixed C_T) CO_2 Systems 175
  9.4.1 General 175
  9.4.2 Log Concentration *vs.* pH Diagrams for Systems with Fixed C_T 175
  9.4.3 The $f = 0$, 1, and 2 Equivalence Points (EPs) in a Log Concentration *vs.* pH Diagram with Fixed C_T 177
  9.4.4 Buffer Intensity for Closed (Fixed C_T) CO_2 Systems 178
9.5 Open CO_2 Systems with Fixed p_{CO_2} 179
  9.5.1 General 179
  9.5.2 Log Concentration *vs.* pH Diagrams for Open Systems with Fixed p_{CO_2} 182
  9.5.3 Alkalinity Expressed as a Function of C_T and pH, and as a Function of p_{CO_2} and pH 184
  9.5.4 The Universal Acidification Plot (UAP) 190
  9.5.5 Buffer Intensity in Open CO_2 Systems with Fixed p_{CO_2} 193
9.6 Open CO_2 Systems with p_{CO_2} a Variable 195
9.7 *In-Situ* p_{CO_2} 196
References 198

PART III Metal/Ligand Chemistry

Chapter 10 Complexation of Metal Ions by Ligands 203

10.1 Introduction 203
10.2 Formation Constants *vs.* Dissociation Constants (Stability Constants *vs.* Instability Constants) 205
10.3 Hydrolysis of Metal Ions 207
  10.3.1 Metal Ions Act as Acids 207

        10.3.2 Polynuclear Hydroxo Complexes at High Total Metal Concentrations 208
    10.4 Complexes with Cl^- in Brines and Seawater 212
    10.5 Chelates 213
    References 216

PART IV Mineral Solubility

Chapter 11 Simple Salts and Metal Oxides/Hydroxides/Oxyhydroxides 219

- 11.1 Introduction 219
- 11.2 Defining Where a Solution Is Relative to Exact Saturation 220
    - 11.2.1 Undersaturation, Saturation, and Supersaturation in Terms of K_{s0} 220
    - 11.2.2 The Solid POV: The Solid Is Present; How Much Will Dissolve to Reach Equilibrium? *vs.* The Solution POV: The Solution Has a Specific Chemistry; Will Precipitation Occur, and If Yes, How Much? 221
- 11.3 Simple Salts Involve Only "Spectator Ions" 221
- 11.4 Metal Hydroxides, Oxides, and Oxyhydroxides 226
    - 11.4.1 The 1st (K_{s0}) Part of the Story – If the Dissolution Were Simple 226
    - 11.4.2 The Rest of the Story – Complexation by OH^-: K_{s1}, K_{s2}, etc. (or $^*K_{s1}$, $^*K_{s2}$, etc.) and the Not-Simple Solubility of Metal Hydroxides, Oxides, and Oxyhyroxides 229
    - 11.4.3 Total Solubility of a Particular Metal Hydroxide, Oxide, or Oxyhydroxide *vs.* pH 232
    - 11.4.4 Solubility Differences among the Different Fe(III) Metal Hydroxides, Oxyhydroxides, and Oxides 238
    - 11.4.5 Metal Hydroxide, Oxide, or Oxyhydroxide Equilibrated with Water and Some Value of $(C_B' - C_A')$ 239
        - 11.4.5.1 Initially Pure Water: $(C_B' - C_A') = 0$, $C_T = 0$ 239
        - 11.4.5.2 Non-Zero Net Simple Strong Base (i.e., of the Types NaOH and HCl): $(C_B' - C_A') \neq 0$ with $C_T \neq 0$ 240
- References 242

Chapter 12 Solubility Behavior of Calcium Carbonate and Other Divalent Metal Carbonates in Closed and Open Systems 245

- 12.1 Introduction 245
- 12.2 Alkalinity (All Cases) 247
- 12.3 Case I: Closed System, $C_T = Ca_T$ (Calcium Carbonate + Water + Variable $(C_B' - C_A')$) 247
    - 12.3.1 Solubility as a Function of pH 247
    - 12.3.2 The Particular pH When $(C_B' - C_A') = 0$ 249
    - 12.3.3 pH When $(C_B' - C_A') \neq 0$ 251
- 12.4 Case II: Closed System, $C_T = Ca_T + y$ (Calcium Carbonate + Water + Initial y Dissolved CO_2 Variable $(C_B' - C_A')$) 252
    - 12.4.1 The Particular pH When $(C_B' - C_A') \neq 0$ 252
    - 12.4.2 The Effect of Added CO_2 (y) on Dissolution of Calcite When $(C_B' - C_A') = 0$ 253

12.5 Case III: Open System, Constant p_{CO_2}: Calcium Carbonate + Water + Variable $(C'_B - C'_A)$ 254
    12.5.1 Solubility as a Function of pH 254
    12.5.2 The Particular pH When $(C'_B - C'_A) = 0$ 255
    12.5.3 pH as Affected by $(C'_B - C'_A) \neq 0$, as in Acid Rain 258
References 260

Chapter 13 Metal Phosphates 261

13.1 General 261
13.2 Hydroxyapatite – $Ca_5(PO_4)_3(OH)_{(s)}$ 261
13.3 Fluoroapatite – $Ca_5(PO_4)_3F_{(s)}$ 269
13.4 Struvite – $MgNH_4PO_4 \cdot 6H_2O_{(s)}$ 274
References 278

Chapter 14 Which Solid Is Solubility Limiting? Examples with Fe(II) for $FeCO_{3(s)}$ *vs.* $Fe(OH)_{2(s)}$ Using Log p_{CO_2} *vs.* pH Predominance Diagrams 281

14.1 Introduction 281
14.2 Equilibrium Coexistence of Two Solids 282
14.3 Log p_{CO_2} *vs.* pH Predominance Diagrams with Regions for $FeCO_{3(s)}$, $Fe(OH)_{2(s)}$, and Dissolved Fe(II) Species 282
    14.3.1 $Fe(II)_{T,sys} = 10^{-5}\,M$ 282
        14.3.1.1 $FeCO_{3(s)}/Fe(OH)_{2(s)}$ Boundary Line 282
        14.3.1.2 $Fe^{2+}/Fe(OH)_{2(s)}$ and $Fe(OH)_{2(s)}/Fe(OH)_3^-$ Boundary Lines 283
        14.3.1.3 $Fe^{2+}/FeCO_{3(s)}$ and $FeCO_{3(s)}/Fe(OH)_3^-$ Boundary Lines 285
        14.3.1.4 "Old-School" Approximations for Drawing Boundary Lines as Straight Lines 286
    14.3.2 Dependence of the Diagram on $Fe(II)_{T,sys}$ 292
    14.3.3 Log p_{CO_2} *vs.* pH Predominance Diagram for $Fe(II)_{T,sys} = 10^{-7}\,M$ 292
    14.3.4 Log p_{CO_2} *vs.* pH Predominance Diagram for $Fe(II)_{T,sys} = 10^{-9}\,M$ 292
Reference 295

Chapter 15 The Kelvin Effect: The Effect of Particle Size on Dissolution and Evaporation Equilibria 297

15.1 Introduction 297
15.2 The Interfacial Tension σ 298
    15.2.1 The Origin of Interfacial Tension 298
    15.2.2 The Effects of Surfactants on Interfacial Tension 300
15.3 The Interfacial Tension and the Pressure Increase across a Curved Interface 301
15.4 Effect of $\Delta P(r)$ on Chemical Potential and Equilibrium 302
    15.4.1 General 302
    15.4.2 Equilibrium across a Flat Interface 303
    15.4.3 Equilibrium across a Spherical Interface of Radius r 305
    15.4.4 Cubic Particles of Dimension $2r$ 306
References 308

Chapter 16 Solid/Solid and Liquid/Liquid Solution Mixtures 309

16.1 Introduction 309
16.2 Thermodynamic Equations Governing the Formation of Solid and Liquid Solutions 309
  16.2.1 General Equations 309
  16.2.2 Ideal Solutions 312
  16.2.3 Non-Ideal Solutions 313
  16.2.4 Chemical A When Present in a Solution *vs.* When Pure 315
16.3 Phase Separation in Non-Ideal Solutions 316
  16.3.1 The $\Delta\overline{G}_{\text{mxg}}$ Curve and Phase Separation 316
  16.3.2 Tendency for Correlation between x_{A}^{α} and x_{B}^{β} 317
Appendix 16.A 319
  16.A.1 Minimization of the Free Energy G by Phase Separation 319
  16.A.2 The Linear Mixing Curve for $\Delta\overline{G}_{\text{mxg}}$ *vs.* x_{A} in the Region Where Phase Separation Occurs 321
  16.A.3 When Phase Separation Occurs, the Same Two Values of x_{A}^{α} and x_{A}^{β} Are Obtained Regardless of the Values of n_{A} and n_{B} 321
References 323

PART V Redox Chemistry

Chapter 17 Redox Reactions, E_{H}, and pe 327

17.1 Introduction 327
17.2 Assigning Oxidation States 327
17.3 E_{H} and pe: Equivalent Ways of Handling Redox Calculations (But Using pe Has Advantages) 335
  17.3.1 E_{H} Equations 335
  17.3.2 pe Equations 344
    17.3.2.1 The Concept of pe 344
    17.3.2.2 pe and the Redox K as Developed from the Nernst Equation 346
    17.3.2.3 pe Is as Meaningful as E_{H} 348
    17.3.2.4 At Equilibrium, All Redox Half Reactions Specify the Same pe (and E_{H}) 349
    17.3.2.5 Reference Electrodes, the E_{H} (pe) Combination Electrode, and the pH Combination Electrode 349
17.4 Redox Ladder 353
  17.4.1 Redox Ladder under Standard Conditions (Use pe° or E_{H}^{o}) 353
  17.4.2 Redox Ladder under Non-Standard Conditions 353
17.5 Redox α Values 355
  17.5.1 General 355
  17.5.2 $\alpha_{\text{O}_2}^{\text{remaining}}$– A Fraction-Remaining α for O_2 (For Comparison with Actual Redox α Values) 355
  17.5.3 $\alpha_{\text{N(V)}}$, the Redox α for N(V) When All N Is Dissolved and Considering Only N(V) (as NO_3^-) and N(0) (as N_2) 356
  17.5.4 $\alpha_{\text{Fe(III)}}$, the Redox α for Fe(III) When All Fe Is Dissolved 357

17.5.5 $\alpha_{S(VI)}$, the Redox α for S(VI) When All S Is Dissolved and Considering Only S(VI) (as HSO_4^- and SO_4^{2-}) and S(–II) (as H_2S and HS^-) 358
17.5.6 $\alpha_{C(IV)}$, the Redox α for C(IV) When All C Is Dissolved and Considering Only C(IV) (the CO_2 species) and C(–IV) (as CH_4) 359
17.6 Oxidation and Reduction of Water 360
17.6.1 Reduction of Water 360
17.6.2 Oxidation of Water 361
17.6.3 Redox Stability Limits for Water: The Redox Analog of Thermal Boiling 361
17.6.4 pe Range for Most Natural Waters at 1 atm 363
17.6.5 The pe (E_H) of Pure Water with No Added Oxidants of Reductants – The Redox Analog of pH = ½ log K_w for Pure Water (Optional) 363
References 364

Chapter 18 Introduction to pe–pH Diagrams: The Cases of Aqueous Chlorine, Hydrogen, and Oxygen 365

18.1 Introduction 365
18.2 pe–pH Diagram for Aqueous Chlorine 366
18.2.1 Preliminary pe–pH Diagram for Aqueous Chlorine 366
18.2.2 Actual pe–pH Diagram for Aqueous Chlorine for Some Specific Cl_T 366
18.2.3 Aqueous Cl_2: Disproportionation and Disinfection 373
18.3 pe–pH Diagram for Aqueous Oxygen 374
18.3.1 Preliminary pe–pH Diagram for Aqueous Oxygen 374
18.3.2 Why H_2O_2 Does Not Have a Predominance Region for Aqueous Oxygen (Optional) 375
18.3.3 Actual pe–pH Diagram for Aqueous Oxygen 377
18.4 pe–pH Diagram for Aqueous Hydrogen 377
18.5 The Mutual Exclusion of O_2 and H_2 378
References 379

Chapter 19 pe–pH Diagrams for Lead (Pb) with Negligible Dissolved CO_2 381

19.1 Introduction 381
19.2 pe–pH DIAGRAM FOR $Pb_{T,sys} = 10^{-2}\,M$ 381
19.2.1 General – Pb Has Three Important Oxidation States IV, II, and 0 381
19.2.2 The Two Vertical Solution $|\alpha\text{-PbO}_{(s)}|$ Solution Boundary Lines and the Vertical Solution/Solution Boundary Line for Pb(II) 383
19.2.3 The Curved $PbO_{2(s)}$/Solution Boundary Line 385
19.2.4 The Straight $PbO_{2(s)}/\alpha\text{-PbO}_{(s)}$ Boundary Line 387
19.2.5 The Curved Solution/$Pb_{(s)}$ Boundary Line 388
19.2.6 The Straight $\alpha\text{-PbO}_{(s)}/Pb_{(s)}$ Boundary Line 388
19.2.7 Implications of the Low C_T pe–pH Predominance Diagrams for Tap Water by Oxidative (Corrosive) Dissolution of Pb(0) in Lead Pipes, Lead-Containing Solder, and Lead-Containing Brass 389

19.3 pe–pH Diagram for $Pb_{T,sys} = 10^{-3}$ *M* 392
19.4 pe–pH Diagram for $Pb_{T,sys} = 10^{-7}$ *M* (21 ppb) 393
19.5 Use of "Simplifying" Assumptions to Draw pe–pH (E_H-pH) Diagrams 395
References 395

Chapter 20 pe–pH Diagrams for Lead (Pb) in the Presence of CO_2 with Fixed C_T, and Fixed C_T and Phosphate 397

20.1 Introduction 397
20.2 pe–pH Diagram for $Pb_{T,sys} = 10^{-5}$ *M* and $C_{T,free} = 10^{-3}$ *M* 397
  20.2.1 General 397
  20.2.2 Solution $\alpha^{Pb(II)}$ Values with Hydroxide and Carbonate-Related Complexes 399
  20.2.3 Identification of the Pb(II) Solids That Limit Pb(II) Solubility 400
  20.2.4 The Two Vertical Solution/Pb(II) Solid Boundary Lines and the Vertical Solution/Solution Boundary Lines for Pb(II) 404
  20.2.5 C(IV) Converted to C(–IV) (*i.e.*, CH_4) under Very Reducing Conditions 405
  20.2.6 The Curved $PbO_{2(s)}$/Solution Boundary Line 405
  20.2.7 The Curved Solution/$Pb_{(s)}$ Boundary Line 405
  20.2.8 The Curved $PbO_{2(s)}/Pb_3(CO_3)_2(OH)_{2(s)}$ and $Pb_3(CO_3)_2(OH)_{2(s)}/Pb_{(s)}$ Solid/Solid Boundary Lines 406
20.3 pe–pH Diagram for $Pb_{T,sys} = 10^{-7}$ *M* and $C_{T,free} = 10^{-3}$ *M* 409
  20.3.1 General 409
  20.3.2 Solution $\alpha^{Pb(II)}$ Values with Hydroxide and Carbonate-Related Complexes 409
  20.3.3 Identification of the Pb(II) Solids That Limit Pb(II) Solubility 409
  20.3.4 The Vertical Solution/Solution Boundary Lines for Pb(II) 409
  20.3.5 C(IV) Converted to C(–IV) (*i.e.*, CH_4) under Very Reducing Conditions 409
  20.3.6 The Curved $PbO_{2(s)}$/Solution Boundary Line 410
  20.3.7 The Curved $PbO_3^{2-}/Pb(II)_T$ Boundary Line 410
  20.3.8 The Curved Solution/$Pb_{(s)}$ Boundary Line 410
20.4 pe–pH Diagram for $Pb_{T,sys} = 10^{-7}$ *M* with $C_{T,free} = 10^{-3}$ *M* and $P_{T,free} = 10^{-5}$ *M* (~1 mg/L as Orthophosphate) 411
  20.4.1 General 411
  20.4.2 Solution $\alpha^{Pb(II)}$ Values with Hydroxide, Carbonate-Related, and Phosphate-Related Complexes 412
  20.4.3 Identification of the Pb(II) Solids That Limit Pb(II) Solubility 413
  20.4.4 The Two Vertical Solution/Pb(II) Solid Boundary Lines and the Vertical Solution/Solution Boundary Lines for Pb(II) 414
  20.4.5 C(IV) Converted to C(–IV) (*i.e.*, CH_4) under Very Reducing Conditions 415
  20.4.6 The Curved $PbO_{2(s)}$/Solution Boundary Line 415
  20.4.7 The Curved $PbO_3^{2-}/Pb(II)_T$ Boundary Line 415
  20.4.8 The Curved Solution/$Pb_{(s)}$ Boundary Line 415
  20.4.9 The Curved Solid/Solid $PbO_{2(s)}/Pb_5(PO_4)_3OH_{(s)}$ and $Pb_5(PO_4)_3OH_{(s)}/Pb_{(s)}$ Boundary Lines 416
References 417

Chapter 21 pe and Natural Systems 419

- 21.1 Redox-Controlling Elements in Natural Waters 419
  - 21.1.1 Major *vs.* Minor Redox Elements 419
  - 21.1.2 Full Redox Equilibrium Rarely Obtained in Natural Waters 419
  - 21.1.3 pe° and pe°(W) 421
- 21.2 pe–pH Diagram for Nitrogen 422
  - 21.2.1 Redox Equilibria Governing Nitrogen Species 422
  - 21.2.2 Identification of the pe–pH Predominance Regions for Aqueous Nitrogen 422
- 21.3 pe–pH Diagrams for Iron with $Fe_T = 10^{-5}\ M$, $C_T \approx 0$ 427
  - 21.3.1 General – Fe Has Three Important Oxidation States: III, II, and 0 427
  - 21.3.2 $Fe(III)_T/Fe(II)_T$ Boundary Line 430
  - 21.3.3 Solution/(am)$Fe(OH)_{3(s)}$ Boundary Line 431
  - 21.3.4 Solution/$Fe(OH)_{2(s)}$ Boundary Line 432
  - 21.3.5 Solution/$Fe_{(s)}$ Boundary Line 433
  - 21.3.6 (am)$Fe(OH)_{3(s)}/Fe(OH)_{2(s)}$ Boundary Line 433
  - 21.3.7 $Fe(OH)_{2(s)}/Fe_{(s)}$ Boundary Line 434
  - 21.3.8 Final pe–pH Diagram Comments 434
- 21.4 pe–pH Diagrams for Iron with $Fe_T = 10^{-5}\ M$, $C_{T,free} = 10^{-3}\ M$ 436
  - 21.4.1 General – Fe Oxidation States Are III, II, and 0; $FeCO_{3(s)}$ Needs to Be Considered 436
  - 21.4.2 Solubility Limitation by $FeCO_{3(s)}$ *vs.* $Fe(OH)_{2(s)}$ 436
  - 21.4.3 (am)$Fe(OH)_{3(s)}/FeCO_{3(s)}$ Boundary Line 438
  - 21.4.4 $FeCO_{3(s)}/Fe_{(s)}$ Boundary Line 438
  - 21.4.5 Solution/$FeCO_{3(s)}$ Boundary Line 439
  - 21.4.6 Final pe–pH Diagram Comments 439
- 21.5 pe–pH Diagram for Sulfur with $S_T = 10^{-3}\ M$ 440
  - 21.5.1 Redox Equilibria Governing Sulfur Species 440
  - 21.5.2 Identification of the pe–pH Predominance Regions for Aqueous Sulfur 441
  - 21.5.3 Final pe–pH Diagram Comments 447
- 21.6 pe–pH Diagram for Carbon 450
  - 21.6.1 Redox Equilibria Governing Carbon Species 450
  - 21.6.2 Identification of the pe–pH Predominance Regions for Aqueous Carbon 450
  - 21.6.3 Final pe–pH Diagram Comments 452
  - 21.6.4 Disproportionation of Aqueous Organic Carbon Compounds 453
- References 457

Chapter 22 Redox Succession (Titration) in a Stratified Lake during a Period of Summer Stagnation 459

- 22.1 Introduction 459
  - 22.1.1 Lake Dynamics 459
  - 22.1.2 The Effects of Lake Dynamics on pe 461
- 22.2 Model Considerations for a Hypothetical Lake 462
  - 22.2.1 Initial Conditions 462
  - 22.2.2 Assumptions Governing Nitrogen Redox Chemistry 463

22.2.3 Equivalents per Liter (eq/l) as Units for Redox Reactions 463
22.2.4 pe for Before any Reactions Occur (Period 0) 464
22.3 The Four Sequential Redox Equivalence Points and Additional Redox Landmarks 464
22.3.1 The Sequential Equivalence Point (EP) Landmarks for O_2, Nitrate, Iron(III), and Sulfate 464
22.3.2 Landmark Times Delineating the Different Periods 466
22.3.2.1 General 466
22.3.2.2 Period 0: Consumption of Initial OC 466
22.3.2.3 Period 1: Reduction of O_2 up to Activation of NO_3^- 466
22.3.2.4 Period 2: Reduction of NO_3^- up to Disappearance of (am)$Fe(OH)_{3(s)}$ At Fe(II) EP 466
22.3.2.5 Period 3: Reduction of SO_4^{2-} up to Appearance of $FeS_{(s)}$ 466
22.3.2.6 Reduction of SO_4^{2-} and Disproportionation of $C_6H_{12}O_6$ with $FeS_{(s)}$ Present–Period 4 468
22.4 A Redox Titration Model for Water in the Hypolimnion 468
22.4.1 The Redox Titration Equation (RTE) 468
22.4.1.1 General 468
22.4.1.2 The Terms in the RTE 468
22.4.1.3 RTE: A Function of pe and pH 469
22.4.2 The Electroneutrality Equation (ENE) 472
22.4.3 Results 473
22.5 Kinetics and Labile *vs.* Non-Labile Organic Carbon 475
References 484

PART VI Effects of Electrical Charges on Solution Chemistry

Chapter 23 The Debye–Hückel Equation and Its Descendent Expressions for Activity Coefficients of Aqueous Ions 487

23.1 Introduction 487
23.2 The Debye–Hückel Law 488
23.2.1 The Poisson Equation and the Local Charge Density 488
23.2.2 $\psi_{\text{ion}}(r)$ and $\psi_{\text{cloud}}(r)$ 490
23.2.3 The Linearized Poisson–Boltzmann Equation 491
23.2.4 Integrating the Linearized Poisson–Boltzmann Equation 493
23.2.5 Determining $\psi_{\text{cloud}}(r)$ 496
23.2.6 Use of $\psi_{\text{cloud}}(r)$ Near the Core Ion to Derive the Debye–Hückel Law 497
23.3 Derivation of the Extended Debye–Hückel Law 500
23.4 Summary Comments on the Four Activity Coefficient Equations 502
References 503

Chapter 24 Electrical Double Layers in Aqueous Systems 505

24.1 Introduction 505
24.2 The Origins of Charge at Solid/Water Interfaces 505
24.2.1 Surface Charge Resulting from the Effects of a Potential-Determining Ion (pdi) 505

24.2.1.1 A Constituent Ion of the Solid Is the pdi 505
24.2.1.2 H^+ and OH^- as Potential-Determining Ions 507
24.2.2 Particles with Fixed Surface Charge – Clays 507
24.3 Similarities between Double-Layers and Ion/(Ion Cloud) Systems 509
24.4 The Electrochemical Potential 509
24.4.1 The Electrochemical Potential and Equilibrium in the Presence of an Electrical Field 509
24.4.2 The Vertical Distribution of Gases in the Atmosphere and Its Relation to the Distant-Dependent Concentration of Aqueous Ions in a Double Layer 511
24.5 Double-Layer Properties as a Function of the Activity of a Potential-Determining Ion 512
24.5.1 ψ° as a Function of the Activity of a Positive Potential-Determining Ion 512
24.5.2 ψ° as a Function of the Activity of a Negative Potential-Determining Ion 515
24.5.3 Characteristics That Determine the Zero Point of Charge (zpc) Activity of a Potential-Determining Ion 516
24.6 Concentrations as a Function of Distance in the Aqueous Charge Layer 516
24.6.1 σ_+ and σ_- 516
24.6.2 The Boltzmann Distribution in the Aqueous Charge Layer 517
24.6.3 Reference Value for $\psi(\infty)$ 518
24.6.4 σ_+ and σ_- for $AB_{(S)}$ in Equilibrium with Initially Pure Water 518
24.7 The Differential Equation Governing the Aqueous Charge Layer 519
24.8 Real Aqueous Solutions Contain Multiple Cations and Multiple Anions 521
24.9 Integrating the Differential Equation Governing the Aqueous Charge Layer so as to Obtain $\psi(x)$ 522
24.9.1 $z|\psi^\circ|$ Is Small (*i.e.*, Sufficiently Close to Zero) 522
24.9.2 $z|\psi^\circ|$ Is Not Necessarily Small 523
24.10 $\psi(x)$ for All ψ° 527
24.11 σ_s and σ_d 527
24.12 The Physical Significance of κ^{-1} 528
24.13 Effects of κ^{-1} on the Properties of the Aqueous Charge Layer 529
24.14 Strategies for Using the Various Double-Layer Equations in Solving Problems 530
References 531

Chapter 25 Colloid Stability and Particle Double Layers 533

25.1 Introduction 533
25.2 Coagulation 533
25.2.1 General 533
25.2.2 van der Waals Forces 534
25.2.3 Coagulation Mechanisms 535
25.3 Electrostatic Repulsion *vs.* van der Waals Attraction 536
25.3.1 DLVO Theory 536
25.3.2 The Schulze–Hardy Rule 539
References 540

Index 541