

Book of Abstracts


EUCARPIA

Symposium

**Plant breeding for organic and sustainable, low-input agriculture:
dealing with genotype-environment interactions**

7-9 November 2007
WICC Wageningen, The Netherlands

in cooperation with WUR Graduate School PE&RC, ECO-PB, COST SUSVAR, ISOFAR



WAGENINGEN UNIVERSITY
PLANT SCIENCES



Sponsored by:



Triodos@Foundation



TABLE OF CONTENTS

PREFACE	1
INTRODUCTION	3
Lecture	
Developments in breeding cereals for organic farming systems in Europe <i>Edith Lammerts van Bueren, Jorg Peter Baresel, Dominique Desclaux, Isabelle Goldringer, Steven Hoad, Geza Kovacs, Franziska Löschenberger, Thomas Miedaner, Hanne Østergård, Martin Wolf</i>	4
GENOTYPE x ENVIRONMENT INTERACTION	5
Lectures	
Quantitative-genetic basis of breeding maize for adaptation to organic and low-input farming <i>Hartwig H. Geiger, Walter Schmidt, Henriette Burger</i>	6
Breeding forage grasses for organic conditions <i>Beat Boller, Peter Tanner, Franz Xaver Schubiger</i>	7
Do varieties rank differently in organic and conventional systems? <i>M. Przystalski, E. Thiemt, B. Rolland, L. Ericson, A. Osman, H. Østergård, L. Levy, M. Wolfe, A. Büchse, H.-P. Piepho, P. Krajewski</i>	8
Yield loss of spring barley in low-input cropping systems explained by varietal and environmental characteristics <i>Hanne Østergård, Kristian Kristensen, Mogens S. Hovmøller</i>	9
Posters	
Additive main effects and multiplicative interaction analysis in hulless barley (<i>Hordeum vulgare</i> L.) genotypes in temperate regions of Iran <i>Shahram Bahrani, Mohammad Reza Bihanta, Mahboobeh Hosseini</i>	10
Wheat breeding lines for low-input agriculture <i>Ciro De Pace, Patrizia Vaccino, Mara Corbellini, Gaetano Boggini, Marina Pasquini, Pier Giorgio Cionini, Eugenia Caceres, Dorian Vittorio, Angelo Ciofo</i>	11
Participatory varietal selection: a strategy to better manage GxE interactions? <i>D. Desclaux, J.M. Nolot, Y. Chiffolleau, Bui Van Minh</i>	12
Exploiting genotype x environment interactions for breeding barley for organic and low-input agriculture <i>Dionysia A. Fasoula</i>	13

On-farm dynamic management of wheat populations/varieties in organic agriculture: a way to valorize GxE interactions <i>Isabelle Goldringer, Galic Nathalie, Rousselle Yves, Demeulenaere Elise, Bonneuil Christophe, Payement Joël, Berthelot Jean-François, Chesneau Vincent, Mercier Florent, Ferté Henri, Pommart Alain, Zaharia Hélène</i>	14
Adaptability of grass-clover mixtures to different environmental conditions <i>Jerko Gunjaca, Snjezana Bolaric, Vinko Kozumplik</i>	15
Relation between growth characteristics and yield of barley in different environments <i>Kristian Kristensen, Lars Ericson</i>	16
Genotype and environment interaction of various spring barley genotypes in organic and conventional growing conditions <i>Linda Legzdina, Aina Kokare, Edith Lammerts van Bueren</i>	17
SUSVAR - Winter wheat ringtest over 15 environments in Europe – Results <i>Franziska Löschenberger, Gheorghe Ittu, Hubert Kempf, Bernard Rolland David Schneider</i>	18
Barley (<i>Hordeum vulgare</i> L.) adaptation and improvement in the Mediterranean basin <i>A. Pswarayi, Comadran, J., Molina-Cano, J.L., Russell, J.R., van Eeuwijk, F., Ceccarelli, S., Grando, S., Stanca, A.M., Francia, E., Pecchioni, N., Akar, T., Al-Yassin, A., Benbelkacem, A., Choumane, W., Karrou, M., Ouabbou, H., Bort, J., Araus, J.L., Hackett, C.A., Thomas, W.T.B., Romagosa, I.</i>	19
Cultivar x growing cycle interaction in lettuce grown under certified organic conditions: implications for selection, breeding and use of diversity <i>María Dolores Raigón, Jaime Prohens, Fernando Nuez</i>	20
Evaluation of advanced potato clones in organic and conventional conditions <i>Ilze Skrabule</i>	21
SELECTION CRITERIA	22
Lectures	
Basic principles for breeding, multiplication and variety testing for organic agriculture - outlines and first results of an interdisciplinary Austrian research project <i>W. Hartl, J. Birschtzky, H. Bürstmayr, I. Diethart, C. Flamm, A. Fleck, J. Friedel, F. Fuchs, H. Grausgruber, M. Gollner, M. Hofer, K. Huber, A. Kinastberger, J. Lafferty, F. Löschenberger, H. Luftensteiner, K. Mechtler, M. Oberforster, R. Petrsek, K. Schulmeister, P. Schweiger, J. Vollmann, M. Weinhappel, J. Winkler, E. Zechner</i>	23
The pattern of N uptake in time, N translocation and root growth as possible factors determining genotype x environment interactions in wheat (<i>Triticum aestivum</i> L.) <i>Jörg Peter Baresel, Hans-Jürgen Reents</i>	24

Breeding for improved responsiveness to arbuscular mycorrhizal fungi in onion <i>Guillermo A. Galvan, Karin Burger-Meijer, Thom W. Kuyper, Chris Kik, Olga E. Scholten</i>	25
Quantifying genotype and environment interactions to benefit selection and evaluation of cereals for competitiveness against weeds <i>S.P. Hoad, C.F.E. Topp</i>	26
Factors affecting thrips resistance in cabbage <i>R.E. Voorrips, G. Steenhuis-Broers, M. Tiemens-Hulscher, E. T. Lammerts van Bueren</i>	27
Posters	
Yield performance of yellow rust resistant winter durum wheat landraces under dryland conditions of Turkey. <i>T. Akar, F. Dusunceli, M. Avci, S.Yazar, T. Sanal</i>	28
Breeding the plants for a sustainable future will need to exploit their genotype-specific differential interactions with plant-probiotic micro-organisms <i>Marco Bosco, Christine Picard</i>	29
Genotypic variation of attack degree (AD%) with downy mildew (<i>Plasmopara viticola</i> Berk & Curt) in six grape varieties, under chemical and organic control treatments <i>Claudiu Bunea, Marin Ardelean</i>	30
Evaluation of winter wheat germplasm for resistance to common bunt and dwarf bunt <i>Karin Huber, Hermann Buerstmayr, Heinrich Grausgruber</i>	31
Methodology of testing of the suitability of varieties for the condition of organic farming <i>Petr Konvalina, Zdeněk Štěřba, Jan Moudrý</i>	32
Influence of nitrogen fertilisation on bread wheat <i>Lilia Levy, Ruedi Schwaerzel, Geert Kleijer</i>	33
Breeding for organic greenhouse production in zucchini squash <i>S. Manzano, H. Bos, M.A Suarez, J. Ferre, C. Payán, P. Gómez, M. Jamilena</i>	34
Competitive ability of various winter wheat genotypes to suppress the weeds <i>Galium spp.</i> and <i>Stellaria media</i> in an organically managed field <i>R. Petrasek</i>	35
Selection of tomato cultivars for organic production <i>Ewa Rembiatowska, Ewelina Hallmann</i>	36
Organic maize for bread: yield, quality and corn borer resistance <i>Pedro Revilla, Arsenio Landa, Germán Sandoya, Ana Butrón, María Cinta Romay, Amando Ordás, Rosa Ana Malvar</i>	37

Agronomic properties of triticale (<i>x Triticosecale</i> wittmack) selected for tolerance to nutrition deficiency under laboratory conditions <i>Danuta Rzepka-Plevneš, Marta Stepień-Słodkowska</i>	38
Nitrogenase activity as the criterion for selection in the red clover breeding <i>Tomas Simon, Hana Jakesova</i>	39
Morphological parameters used in the characterization of rye recombinant inbred lines for nutrient deficiency in medium <i>Miłosz Smolik, Rzepka-Plevneš Danuta, Kurek Jadwiga</i>	40
Wheat genotypes suitable for organic farming <i>Zdeněk Štěrba, Petr Konvalina, Jan Moudrý</i>	41
What is a stable characteristic of cover crops in weed control ability? <i>Hiroshi Uchino, Kazuto Iwama, Yutaka Jitsuyama, Toshiko Yudate, Keiko Ichiyama</i>	42
Evaluation of 36 lentil (<i>Lens culinaris</i> Medik.) genotypes under conventional and organic environment <i>Dimitrios Vlachostergios, Dimitrios Baxevanos, Demetrios Roupakias</i>	43
Selection for weed tolerance in soybean <i>Johann Vollmann, Helmut Wagentrist</i>	44
Should resistance to harrowing be included as selection criteria for organic barley and oat varieties? <i>Elisabeth Zechner, Alexandra Kinastberger</i>	45
BREEDING STRATEGIES	46
Lectures	
Breeding for organic agriculture – strategy and example in practice <i>Franziska Löschenberger</i>	47
Organic cereal breeding – towards a holistic approach <i>Karl-Josef Mueller</i>	48
Potentials of molecular markers to exploit G x E interactions for organic farming <i>Gunter Backes, Hanne Østergård</i>	49
Heritability and genotype x environment interactions of mineral nutrient concentration in wheat grown in organic systems <i>Kevin M. Murphy, Julie C. Dawson, Philip G. Reeves, Stephen S. Jones</i>	50

Posters

Maintenance breeding of conservation cereal varieties for organic farming in Denmark <i>Anders Borgen, Per Grupe, Hans Larsson</i>	51
Potato cultivar Lady Balfour, an example of breeding for organic production <i>John Bradshaw, Paul Coleman, Finlay Dale</i>	52
Evidence on genetic variability among and within three runner beans local landraces (<i>P. coccineus</i>) grown under organic farming conditions <i>Vasilios Chatzitheodorou, Athanassios Mavromatis, Athanassios Korkovelos, Ebrahim Khah, Christos Goulas</i>	53
Dynamics of doubled haploidy breeding and molecular cytogenetic approaches <i>vis-a-vis</i> genetic upgradation of bread wheat for organic and low input farming systems in north-west Himalayas <i>Harinder K. Chaudhary, Rakesh K. Chahota, Naval Kishore, Vijay Kumar, Shailesh P. Sood</i>	54
Conservation and generation of genetic resources through development of modern landraces of wheat: co-evolution in the field <i>Maria R. Finckh</i>	55
Appropriate breeding approach and type of cultivar in breeding faba bean for organic farming <i>Lamia Ghaouti, Wolfgang Link</i>	56
Hulled wheats and naked barley – prime examples for participatory research <i>Heinrich Grausgruber, Firdissa Eticha, Christine Sailer, Negash Geleta, Ingrid Weinzetl, Julia Schmidt, Susanne Siebenhandl</i>	57
Organic outdoor tomatoes - regional screening and breeding in Germany <i>Bernd Horneburg, Heiko C. Becker</i>	58
Target oriented organic breeding of maize (<i>Zea mays</i> L.) <i>Géza Kovács</i>	59
Identification of the components of several cultivar mixtures in Spanish wheat by means of SSR markers <i>Fernando Martínez, Mar Cátedra, Pilar Rallo</i>	60
Prebreeding methods used on Portuguese maize germplasm and its applications for on-farm conservation <i>Pedro Mendes Moreira, Carlota Vaz Patto, João Santos, Liliana Morgado, João Santos, Silas E. Pêgo</i>	61
Do we need a separate breeding program for organic soybeans? <i>Michelle L. Menken, James Orf</i>	62
Utilisation of spelt and emmer wheat genetic resources as cultivars in organic farming <i>Zdeněk Stehno, Petr Konvalina, Ladislav Dotlačil, Jan Moudrý,</i>	63

The effect of the selection environment on several traits of onion (*Allium cepa*) 64
M. Tiemens-Hulscher, E.T. Lammerts van Bueren, A. Osman, R. de Heer

Genetic diversity of an emmer population grown under organic farming in Central Italy 65
Renzo Torricelli, Mario Falcinelli

PARTICIPATORY APPROACHES 66

Lectures

Changes in the concept of genotype x environment interactions to fit agriculture evolution: 67
multidisciplinary points of view
D. Desclaux, J.M. Nolot, Y. Chiffolleau, E. Gozé, C. Leclerc

Evolution of diversity during 20 years of mass selection on 'Pigarro', a Portuguese improved 68
maize population with fasciation
Pedro Mendes Moreira, Carlota Vaz Patto, Silas E. Pêgo, Arnel R. Hallauer

New F1 and open-pollinated spinach varieties for organic systems: a farmer, seed company, 69
and non-profit model of participatory breeding
Micaela R. Colley, John P. Navazio

Posters

Bread wheat variety testing in organic farming in France: contributions to organic breeding 70
programmes
Laurence Fontaine, Bernard Rolland, Marie-Hélène Bernicot

On-farm conservation of cereal landraces on the Outer Hebrides, Scotland – is participatory 71
crop improvement the best approach?
Maria Scholten

Farmer's eye and breeder's eye – fields of knowledge exchange as a condition of a participatory 72
cereal breeding approach
Martin Timmermann