

Institut für Molekulare Mechanismen bei Krankheiten
der Vetsuisse-Fakultät Universität Zürich

Direktor: Prof. Dr. med. vet et phil. II Michael O. Hottiger

Musculoskeletal Research Unit (MSRU)

Leiterin: Prof. Dr. med. vet. Brigitte von Rechenberg, Dipl. ECVS

Arbeit unter wissenschaftlicher Betreuung von

Dr. Salim Darwiche, PhD, Musculoskeletal Research Unit (MSRU)

**Effect of pulsed electromagnetic field therapy on bone repair and
regeneration in two tibia osteotomy models in sheep**

Inaugural-Dissertation

zur Erlangung der Doktorwürde der
Vetsuisse-Fakultät Universität Zürich

vorgelegt von

Anna Kaczmarek

Tierärztin

aus Lodz, Polen

genehmigt auf Antrag von

Prof. Dr. med. vet. Brigitte von Rechenberg, Referentin

Prof. Dr. Stephen Ferguson, Korreferent

2020

Zusammenfassung	9
Summary	10
1 Introduction.....	11
1.1 Clinical problem	11
1.2 Bone structure	11
1.3 Fracture healing	12
1.3.1 Phase I: Inflammation	12
1.3.2 Phase II: Soft callus formation.....	13
1.3.3 Phase III: Hard callus formation	13
1.3.4 Phase IV: Remodeling	14
1.4 Neovascularization.....	14
1.5 Impaired healing	14
1.6 Critical sized defect and augmentation	15
1.7 Healing stimulation.....	16
1.7.1 Biological methods	16
1.7.2 Biophysical methods.....	17
1.8 PEMF	17
1.9 Electromagnetism	18
1.10 PEMF device	21
1.11 PEMF effects on cellular mechanisms.....	21
1.12 Animal model	23
1.13 Aim of the thesis	25
2 Materials and Methods	25
2.1 Study Design.....	25
2.2 Animal Test System.....	30
2.2.1 Randomization and Allocation	30
2.3 Experimental procedure	31
2.3.1 Anesthesia	31
2.3.2 Surgical procedure	32
2.3.3 Casting and suspension.....	36
2.3.4 Postoperative routine analgesia	37

2.3.5	Prophylactic antibiotic therapy	38
2.4	In-life observations	38
2.5	Pulsed electromagnetic field therapy	39
2.6	Radiographic follow-up	40
2.7	Fluorescent marker injections	42
2.8	Sacrifice, tissue harvest and processing	42
2.9	Micro-CT scanning	43
2.10	Biomechanical testing	44
2.11	Histology Processing	46
2.12	Analysis	47
2.12.1	Macroscopic Evaluation at sacrifice	47
2.12.2	Micro-CT analysis	48
2.12.3	Biomechanical analysis	50
2.12.4	Radiographic Evaluation	50
2.12.5	Histomorphometry	53
2.12.6	Fluorescence	55
2.12.7	Histological Evaluation	57
2.13	Statistical Analysis	59
<hr/>		
3	Results	60
3.1	3 mm Gap Model	60
3.1.1	Excluded Animals	60
3.1.2	Anesthesia, surgery and post-operative recovery period	61
3.1.3	Detached transducer caps after surgery and re-design	62
3.1.4	In-life clinical observations	64
3.1.5	Macroscopic findings at sacrifice	64
3.1.6	Micro-CT morphometry and structural analyses	65
3.1.7	Biomechanics	66
3.1.8	Radiographic evaluation	67
3.1.9	Histomorphometry	72
3.1.10	Fluorescence	74
3.1.11	Histological evaluation	75
3.2	17 mm Graft Model	81
3.2.1	Anesthesia, surgery and post-operative recovery period	81

3.2.2	In-life clinical observations	82
3.2.3	Macroscopic findings at sacrifice	83
3.2.4	Micro-CT morphometry and structural analyses	84
3.2.5	Biomechanics	84
3.2.6	Radiographic evaluation	86
3.2.7	Histomorphometry	90
3.2.8	Fluorescence	93
3.2.9	Histological evaluation	95

4	Discussion	101
5	Bibliography	112
6	Abbreviation list	118
7	Appendices	119
7.1	Appendix 1	119
7.2	Appendix 2	120
7.3	Appendix 3: Radiographs	121
7.4	Appendix 4: Macroscopic evaluation pictures	123
7.5	Appendix 5: Histology	126
7.6	Appendix 6: Micro-CT scans	128
7.7	Appendix 7: Biomechanics	136

Acknowledgements

Curriculum vitae