

Nuclear Magnetic Resonance Spectroscopy

An Introduction to Principles,
Applications, and Experimental
Methods

Joseph B. Lambert

Trinity University
San Antonio, Texas, USA

Eugene P. Mazzola

University of Maryland
College Park, Maryland, USA

Clark D. Ridge

Center for Food Safety and Applied Nutrition
U.S. Food and Drug Administration,
College Park, Maryland, USA

Second Edition

WILEY

Contents

| | |
|---------------------------|---|
| Preface to First Edition | <i>xiii</i> |
| Acknowledgments | <i>xiv</i> |
| Preface to Second Edition | <i>xv</i> |
| Acknowledgments | <i>xvi</i> |
| Solutions | <i>xvii</i> |
| Symbols | <i>xix</i> |
| Abbreviations | <i>xxi</i> |
| | |
| 1 | Introduction 1 |
| 1.1 | Magnetic Properties of Nuclei 1 |
| 1.2 | The Chemical Shift 6 |
| 1.3 | Excitation and Relaxation 10 |
| 1.4 | Pulsed Experiments 13 |
| 1.5 | The Coupling Constant 16 |
| 1.6 | Quantitation and Complex Splitting 23 |
| 1.7 | Commonly Studied Nuclides 25 |
| 1.8 | Dynamic Effects 28 |
| 1.9 | Spectra of Solids 30 |
| | Problems 33 |
| | Tips on Solving NMR Problems 36 |
| | References 37 |
| | Further Reading 38 |
| | |
| 2 | Introductory Experimental Methods 39 |
| 2.1 | The Spectrometer 39 |
| 2.2 | Sample Preparation 41 |
| 2.3 | Optimizing the Signal 42 |
| 2.3.1 | Sample Tube Placement 42 |
| 2.3.2 | Probe Tuning 43 |
| 2.3.3 | Field/Frequency Locking 43 |
| 2.3.4 | Spectrometer Shimming 44 |
| 2.4 | Determination of NMR Spectral-Acquisition Parameters 48 |
| 2.4.1 | Number of Data Points 50 |
| 2.4.2 | Spectral Width 50 |

| | | |
|---------|---|----|
| 2.4.3 | Filter Bandwidth | 52 |
| 2.4.4 | Acquisition Time | 52 |
| 2.4.5 | Transmitter Offset | 52 |
| 2.4.6 | Flip Angle | 52 |
| 2.4.7 | Receiver Gain | 54 |
| 2.4.8 | Number of Scans | 55 |
| 2.4.9 | Steady-State Scans | 55 |
| 2.4.10 | Oversampling and Digital Filtration | 56 |
| 2.4.11 | Decoupling for X Nuclei | 56 |
| 2.4.12 | Typical NMR Experiments | 57 |
| 2.5 | Determination of NMR Spectral-Processing Parameters | 58 |
| 2.5.1 | Exponential Weighting | 59 |
| 2.5.2 | Zero Filling | 59 |
| 2.5.3 | FID Truncation and Spectral Artifacts | 60 |
| 2.5.4 | Resolution | 62 |
| 2.6 | Determination of NMR Spectra: Spectral Presentation | 63 |
| 2.6.1 | Signal Phasing and Baseline Correction | 63 |
| 2.6.2 | Zero Referencing | 66 |
| 2.6.3 | Determination of Certain NMR Parameters | 66 |
| 2.6.3.1 | Chemical Shifts and Coupling Constants | 66 |
| 2.6.3.2 | ^1H Integration | 68 |
| 2.7 | Calibrations | 70 |
| 2.7.1 | Pulse Width (Flip Angle) | 70 |
| 2.7.2 | Decoupler Field Strength | 72 |
| | Problems | 73 |
| | References | 74 |
| | Further Reading | 74 |
| 3 | The Chemical Shift | 75 |
| 3.1 | Factors That Influence Proton Shifts | 75 |
| 3.1.1 | Local Fields | 75 |
| 3.1.2 | Nonlocal Fields | 77 |
| 3.2 | Proton Chemical Shifts and Structure | 85 |
| 3.2.1 | Saturated Aliphatics | 85 |
| 3.2.1.1 | Alkanes | 85 |
| 3.2.1.2 | Functionalized Alkanes | 86 |
| 3.2.2 | Unsaturated Aliphatics | 87 |
| 3.2.2.1 | Alkynes | 87 |
| 3.2.2.2 | Alkenes | 88 |
| 3.2.2.3 | Aldehydes | 89 |
| 3.2.3 | Aromatics | 89 |
| 3.2.4 | Protons on Oxygen and Nitrogen | 90 |
| 3.2.5 | Programs for Empirical Calculations | 91 |
| 3.3 | Medium and Isotope Effects | 92 |
| 3.3.1 | Medium Effects | 92 |
| 3.3.2 | Isotope Effects | 95 |
| 3.4 | Factors That Influence Carbon Shifts | 96 |

| | | |
|---------|--|-----|
| 3.5 | Carbon Chemical Shifts and Structure | 98 |
| 3.5.1 | Saturated Aliphatics | 98 |
| 3.5.1.1 | Acyclic Alkanes | 98 |
| 3.5.1.2 | Cyclic Alkanes | 101 |
| 3.5.1.3 | Functionalized Alkanes | 101 |
| 3.5.2 | Unsaturated Compounds | 103 |
| 3.5.2.1 | Alkenes | 103 |
| 3.5.2.2 | Alkynes and Nitriles | 104 |
| 3.5.2.3 | Aromatics | 104 |
| 3.5.3 | Carbonyl Groups | 105 |
| 3.5.4 | Programs for Empirical Calculations | 105 |
| 3.6 | Tables of Chemical Shifts | 106 |
| | Problems | 110 |
| | Further Tips on Solving NMR Problems | 119 |
| | References | 122 |
| | Further Reading | 122 |
| 4 | The Coupling Constant | 125 |
| 4.1 | First- and Second-order Spectra | 125 |
| 4.2 | Chemical and Magnetic Equivalence | 126 |
| 4.3 | Signs and Mechanisms of Coupling | 132 |
| 4.4 | Couplings over One Bond | 134 |
| 4.5 | Geminal Couplings | 136 |
| 4.6 | Vicinal Couplings | 139 |
| 4.7 | Long-range Couplings | 143 |
| 4.7.1 | $\sigma-\pi$ Overlap | 143 |
| 4.7.2 | Zigzag Pathways | 144 |
| 4.7.3 | Through-Space Coupling | 145 |
| 4.8 | Spectral Analysis | 146 |
| 4.9 | Second-order Spectra | 147 |
| 4.9.1 | Deceptive Simplicity | 147 |
| 4.9.2 | Virtual Coupling | 149 |
| 4.9.3 | Shift Reagents | 150 |
| 4.9.4 | Isotope Satellites | 150 |
| 4.10 | Tables of Coupling Constants | 151 |
| | Problems | 157 |
| | References | 169 |
| | Further Reading | 170 |
| 5 | Further Topics in One-Dimensional NMR Spectroscopy | 173 |
| 5.1 | Spin-Lattice and Spin-Spin Relaxation | 173 |
| 5.1.1 | Causes of Relaxation | 173 |
| 5.1.2 | Measurement of Relaxation Time | 175 |
| 5.1.3 | Transverse Relaxation | 176 |
| 5.1.4 | Structural Ramifications | 177 |
| 5.1.5 | Anisotropic Motion | 177 |
| 5.1.6 | Segmental Motion | 178 |
| 5.1.7 | Partially Relaxed Spectra | 178 |
| 5.1.8 | Quadrupolar Relaxation | 178 |

| | | |
|-------|---|-----|
| 5.2 | Reactions on the NMR Time Scale | 180 |
| 5.2.1 | Hindered Rotation | 181 |
| 5.2.2 | Ring Reversal | 183 |
| 5.2.3 | Atomic Inversion | 183 |
| 5.2.4 | Valence Tautomerizations and Bond Shifts | 185 |
| 5.2.5 | Quantification | 187 |
| 5.2.6 | Magnetization Transfer and Spin Locking | 187 |
| 5.3 | Multiple Resonance | 188 |
| 5.3.1 | Spin Decoupling | 188 |
| 5.3.2 | Difference Decoupling | 190 |
| 5.3.3 | Classes of Multiple Resonance Experiments | 190 |
| 5.3.4 | Off-resonance Decoupling | 191 |
| 5.4 | The Nuclear Overhauser Effect | 194 |
| 5.4.1 | Origin | 194 |
| 5.4.2 | Observation | 195 |
| 5.4.3 | Difference NOE | 198 |
| 5.4.4 | Applications | 199 |
| 5.4.5 | Limitations | 200 |
| 5.5 | Spectral Editing | 200 |
| 5.5.1 | The Spin-Echo Experiment | 201 |
| 5.5.2 | The Attached Proton Test | 201 |
| 5.5.3 | The DEPT Sequence | 204 |
| 5.6 | Sensitivity Enhancement | 205 |
| 5.6.1 | The INEPT sequence | 206 |
| 5.6.2 | Refocused INEPT | 208 |
| 5.6.3 | Spectral Editing with Refocused INEPT | 208 |
| 5.6.4 | DEPT Revisited | 210 |
| 5.7 | Carbon Connectivity | 212 |
| 5.8 | Phase Cycling, Composite Pulses, and Shaped Pulses | 213 |
| 5.8.1 | Phase Cycling | 213 |
| 5.8.2 | Composite Pulses | 215 |
| 5.8.3 | Shaped Pulses | 215 |
| | Problems | 217 |
| | References | 231 |
| | Further Reading | 231 |
| 6 | Two-Dimensional NMR Spectroscopy | 237 |
| 6.1 | Proton-Proton Correlation Through <i>J</i> Coupling | 237 |
| 6.1.1 | COSY45 | 247 |
| 6.1.2 | Long-Range COSY (LRCOSY or Delayed COSY) | 248 |
| 6.1.3 | Phase-Sensitive COSY (ϕ -COSY) | 249 |
| 6.1.4 | Multiple Quantum Filtration | 250 |
| 6.1.5 | TOtal Correlation SpectroscopY (TOCSY) | 252 |
| 6.1.6 | Relayed COSY | 252 |
| 6.1.7 | <i>J</i> -Resolved Spectroscopy | 252 |
| 6.1.8 | COSY for Other Nuclides | 254 |

| | | |
|----------|--|-----|
| 6.2 | Proton–Heteronucleus Correlation | 254 |
| 6.2.1 | HETCOR | 255 |
| 6.2.2 | HMQC | 257 |
| 6.2.3 | BIRD-HMQC | 257 |
| 6.2.4 | HSQC | 260 |
| 6.2.5 | COLOC | 260 |
| 6.2.6 | HMBC | 260 |
| 6.2.7 | Heteronuclear Relay Coherence Transfer | 263 |
| 6.3 | Proton–Proton Correlation Through Space or Chemical Exchange | 264 |
| 6.4 | Carbon–Carbon Correlation | 268 |
| 6.5 | Higher Dimensions | 270 |
| 6.6 | Pulsed Field Gradients | 273 |
| 6.7 | Diffusion-Ordered Spectroscopy | 277 |
| 6.8 | Summary of 2D Methods | 279 |
| | Problems | 280 |
| | References | 305 |
| | Further Reading | 306 |
| 7 | Advanced Experimental Methods | 309 |
| 7.1 | Part A: One-Dimensional Techniques | 309 |
| 7.1.1 | T_1 Measurements | 309 |
| 7.1.2 | ^{13}C Spectral Editing Experiments | 311 |
| 7.1.2.1 | The APT Experiment | 311 |
| 7.1.2.2 | The DEPT Experiment | 312 |
| 7.1.3 | NOE Experiments | 313 |
| 7.1.3.1 | The NOE Difference Experiment | 314 |
| 7.1.3.2 | The Double-Pulse, Field-Gradient, Spin-Echo NOE Experiment | 315 |
| 7.2 | Part B: Two-Dimensional Techniques | 316 |
| 7.2.1 | Two-Dimensional NMR Data-Acquisition Parameters | 316 |
| 7.2.1.1 | Number of Data Points | 316 |
| 7.2.1.2 | Number of Time Increments | 317 |
| 7.2.1.3 | Spectral Widths | 317 |
| 7.2.1.4 | Acquisition Time | 317 |
| 7.2.1.5 | Transmitter Offset | 318 |
| 7.2.1.6 | Flip Angle | 318 |
| 7.2.1.7 | Relaxation Delay | 318 |
| 7.2.1.8 | Receiver Gain | 318 |
| 7.2.1.9 | Number of Scans per Time Increment | 319 |
| 7.2.1.10 | Steady-State Scans | 319 |
| 7.2.2 | Two-Dimensional NMR Data-Processing Parameters | 319 |
| 7.2.2.1 | Weighting Functions | 319 |
| 7.2.2.2 | Zero Filling | 321 |
| 7.2.2.3 | Digital Resolution | 321 |
| 7.2.2.4 | Linear Prediction | 322 |
| 7.2.3 | Two-Dimensional NMR Data Display | 324 |
| 7.2.3.1 | Phasing and Zero Referencing | 324 |

| | | |
|-----|---|--|
| | 7.2.3.2 | Symmetrization 325 |
| | 7.2.3.3 | Use of Cross Sections in Analysis 325 |
| 7.3 | Part C: Two-Dimensional Techniques: The Experiments 325 | |
| | 7.3.1 | Homonuclear Chemical-Shift Correlation Experiments via Scalar Coupling 326 |
| | 7.3.1.1 | The COSY Family: COSY-90°, COSY-45°, Long-Range COSY, and DQF-COSY 326 |
| | 7.3.1.2 | The TOCSY Experiment 330 |
| | 7.3.2 | Direct Heteronuclear Chemical-Shift Correlation via Scalar Coupling 331 |
| | 7.3.2.1 | The HMQC Experiment 331 |
| | 7.3.2.2 | The HSQC Experiment 332 |
| | 7.3.2.3 | The HETCOR Experiment 334 |
| | 7.3.3 | Indirect Heteronuclear Chemical-Shift Correlation via Scalar Coupling 335 |
| | 7.3.3.1 | The HMBC Experiment 336 |
| | 7.3.3.2 | The FLOCK Experiment 338 |
| | 7.3.3.3 | The HSQC-TOCSY Experiment 340 |
| | 7.3.4 | Homonuclear Chemical-Shift Correlation via Dipolar Coupling 342 |
| | 7.3.4.1 | The NOESY Experiment 342 |
| | 7.3.4.2 | The ROESY Experiment 343 |
| | 7.3.5 | 1D and Advanced 2D Experiments 345 |
| | 7.3.5.1 | The 1D TOCSY Experiment 345 |
| | 7.3.5.2 | The 1D NOESY and ROESY Experiments 347 |
| | 7.3.5.3 | The Multiplicity-Edited HSQC Experiment 347 |
| | 7.3.5.4 | The H2BC Experiment 348 |
| | 7.3.5.5 | Nonuniform Sampling 352 |
| | 7.3.5.6 | Pure Shift NMR 355 |
| | 7.3.5.7 | Covariance NMR 358 |
| | 7.3.6 | Pure Shift-Covariance NMR 362 |
| | | References 362 |
| 8 | | Structural Elucidation: Two Methods 365 |
| 8.1 | Part A: Spectral Analysis 365 | |
| | 8.1.1 | ^1H NMR Data 365 |
| | 8.1.2 | ^{13}C NMR Data 366 |
| | 8.1.3 | The DEPT Experiment 369 |
| | 8.1.4 | The HSQC Experiment 370 |
| | 8.1.5 | The COSY Experiment 370 |
| | 8.1.6 | The HMBC Experiment 372 |
| | 8.1.7 | General Molecular Assembly Strategy 372 |
| | 8.1.8 | A Specific Molecular Assembly Procedure 374 |
| | 8.1.9 | The NOESY Experiment 379 |
| 8.2 | Part B: Computer-Assisted Structure Elucidation 382 | |
| | 8.2.1 | CASE Procedures 383 |
| | 8.2.2 | T-2 Toxin 384 |

Appendix A Derivation of the NMR Equation 389

Appendix B The Bloch Equations 391
Reference 395

Appendix C Quantum Mechanical Treatment of the Two-Spin System 397

Appendix D Analysis of Second-Order, Three- and Four-Spin Systems by Inspection 409

Appendix E Relaxation 415

Appendix F Product-Operator Formalism and Coherence-Level Diagrams 421
Reference 433

Appendix G Stereochemical Considerations 435
G.1 Homotopic Groups 436
G.2 Enantiotopic Groups 438
G.3 Diastereotopic Groups 440
References 441

Index 443