

Matériaux pour la Géologie de la Suisse – Géophysique
publiés par le Service géologique national, swisstopo

Beiträge zur Geologie der Schweiz – Geophysik
herausgegeben von der Landesgeologie, swisstopo

2012

Seismic Atlas of the Swiss Molasse Basin

Text volume

With 37 figures and 9 tables

Authors:

ANNA SOMMARUGA, URS EICHENBERGER & FRANÇOIS MARILLIER

Edited by the Swiss Geophysical Commission

Editor: EDUARD KISSLING

GIS Contributor:

ROBIN ENGLER

Graphical design of enclosures:

ANDREAS BAUMELER

Published by the Federal Office of Topography swisstopo, Swiss Geological Survey

Coordinator: ANDREAS KÜHNI



Schweizerische Eidgenossenschaft
Confédération suisse
Confederazione Svizzera
Confederaziun svizra

Swiss Confederation

Federal Office of Topography swisstopo



Table of content

Foreword of the editor	3	3.3 Velocities within stratigraphic units from well data.....	39
Foreword of the Project leader	4	3.4 Calculation of horizon maps.....	40
Table of content	5	3.4.1 TWT horizon map calculation.....	40
List of figures, tables and appendices.....	7	3.4.2 Velocity map calculation	41
List of acronyms and explanations of selected terms used in the Atlas.....	9	3.4.3 Calculation of horizon depth and vertical thickness maps	41
Abstract	10	3.5 Transect interpretation	43
Résumé	10	3.5.1 Transects	43
Zusammenfassung	11	3.5.2 Quality classes for seismically derived features in the Cenozoic and Mesozoic units	43
1. Introduction	13	3.5.3 Quality classes for seismically derived features in the pre-Mesozoic unit	44
1.1 Objectives of this work	13	3.5.4 Extraction of digitized TWT and depth- converted reflections from the GIS data- base for the transect interpretation	45
1.2 Outline of text and enclosures	14	3.6 Data uncertainties	45
1.3 Geological setting	14	3.6.1 Main sources of errors	45
1.3.1 General overview	14	3.6.2 Quantitative uncertainty estimate for the transects	47
1.3.2 Tectonic units.....	18	3.6.3 Uncertainties in the TWT, velocity, depth, and vertical thickness maps	48
1.3.3 Lithostratigraphic subdivision	18	4. Deep structure of the Swiss Molasse Basin from seismic transects and well data	48
1.4 Previous regional and local seismic studies	20	4.1 Transect construction and display	49
2. Database	21	4.1.1 Top section: seismic profile	49
2.1 Inventory of available data	21	4.1.2 Central section: seismic interpretation	49
2.2 Seismic profiles	21	4.1.3 Bottom section: depth-converted seismic interpretation (with additional conceptual geological information)	49
2.2.1 Seismic profiles in Switzerland and inter- preted profiles in this Atlas	21	4.2 Geological description of the seismic transects	51
2.2.2 Seismic location maps	24	4.2.1 Transect 01: Genève (Enclosure 03)	52
2.2.3 Seismic surveys, datum plane, acquisition and processing parameters.....	24	4.2.2 Transect 02: Orbe – Morges (Enclosure 03)	53
2.2.4 Seismic display	24	4.2.3 Transect 03: Lac de Joux – Villeneuve (Enclosure 04)	54
2.2.5 Reprocessing of seismic data	25	4.2.4 Transect 04: Yvonand – Gruyères (Enclosure 05)	55
2.3 Wells	26	4.2.5 Transect 05: Estavayer-le-Lac – Le Cousimbart (Enclosure 05)	55
2.4 Data quality	27	4.2.6 Transect 06: Biel / Bienne – Thun (Enclosure 06)	56
2.4.1 Quality of seismic section display	27	4.2.7 Transect 07: Grenchen – Kemmeribodenbad (Enclosure 07)	57
2.4.2 Precision of seismic profile location	28	4.2.8 Transect 08: Egerkingen – Entlebuch (Enclosure 08)	57
2.4.3 Quality of the well stratigraphy and of the well velocity surveys	29	4.2.9 Transect 09: Laufenburg – Schwyz (Enclosure 09)	58
2.4.4 Accuracy of geological maps	29	4.2.10 Transect 10: Koblenz – Sarnen (Enclosure 10)	59
2.4.5 Accuracy of seismic data	30	4.2.11 Transect 11: Siblingen – Glarus (Enclosure 11)	60
3. Methodology to establish a subsurface structural model from seismic reflection and well data	31	4.2.12 Transect 12: Stein am Rhein – Buchs (Enclosure 12)	60
3.1 Introduction	31	4.2.13 Transect 13: Kreuzlingen – Säntis (Enclosure 13)	61
3.1.1 General work flow (methodology).....	31	4.2.14 Transect 14: Nyon – Pfaffnau – Romanshorn (Enclosure 14)	61
3.1.2 Georeferencing of the data sets	31	4.2.15 Transect 15: Vevey – Entlebuch – Appenzell (Enclosure 15)	62
3.2 Interpretation of seismic profiles	31		
3.2.1 Selection and interpretation of eight seismic horizons across the Swiss Molasse Basin	31		
3.2.2 Calibration of seismic profiles with well data	34		
3.2.3 Digitization and georeferencing of the inter- preted seismic profiles	37		
3.2.4 Adjusting seismic data to the DP of 500 m amsl	37		
3.2.5 Correction of mis-ties between the interpreted seismic horizons	37		

4.3	Wells	64	5.	3D Geological Model of Swiss Molasse Basin	68
4.4	Main units and their boundaries in the Swiss Molasse Basin: a geological description from well and seismic data	64	5.1	3D surface maps of the interpreted horizons	68
4.4.1	Tertiary unit and Near Base Tertiary horizon (NBTer)	64	5.1.1	Two-way travelttime maps (Enclosure 17)	68
4.4.2	Cretaceous unit	65	5.1.2	Velocity maps (Enclosure 18)	69
4.4.3	Late Malm unit and Near Top Late Malm horizon (NTLMa)	65	5.1.3	Depth maps (Enclosure 19)	69
4.4.4	Early Malm unit and Intra Early Malm horizon (IeMa)	66	5.1.4	Vertical thickness maps (Enclosure 20)	70
4.4.5	Dogger unit and Near Top Dogger horizon (NTDo)	66	5.2	Seismically defined faults (Enclosure 21)	72
4.4.6	Liassic unit and Near Top Liassic horizon (NTLi)	66	5.2.1	Geological characteristics of fault type	72
4.4.7	Late Triassic unit and Near Top Triassic horizon (NTTr)	67	5.2.2	Fault display on depth maps (Enclosure 21)	72
4.4.8	Early-Middle Triassic unit and Near Top Muschelkalk horizon (NTMuka)	67	5.3	Synoptic view of the Swiss Molasse Basin from transects (Enclosure 22)	74
4.4.9	Pre-Mesozoic units and Near Base Mesozoic horizon (NBMes)	67	5.3.1	Structures within the Tertiary unit	74
			5.3.2	Structures within the Mesozoic unit	78
			5.3.3	Pre-Mesozoic features	78
			6	General conclusions and outlook	79
				Acknowledgements	80
				References	82

List of figures, tables, appendices and enclosures

Figures

Fig. 1.1	Location of the Molasse Basin.	13	Fig. 3.12a	Schematic view of a curved fault on an interpreted seismic profile	41
Fig. 1.2	Main tectonic units of the Swiss Molasse Basin	15	Fig. 3.12b	Schematic view of a curved fault replaced by a series of vertical breaks for calculations	41
Fig. 1.3a	Cross-section of the northeastern Swiss Molasse Basin.	16	Fig. 3.13	Schematic comparison between a simple horizontal data point interpolation and a more elaborated machine-computed data interpolation	42
Fig. 1.3b	Cross-section of the southwestern Swiss Molasse Basin.	16	Fig. 3.14a	Thickness calculation of an interval between two interpreted horizons	42
Fig. 1.4	Schematic stratigraphic time section	17	Fig. 3.14b	Depth-surface calculation of an interpreted horizon	42
Fig. 1.5a	Lithostratigraphic groups of the Tertiary units	19	Fig. 4.1	Location map of transects with their respective number and tectonic background	48
Fig. 1.5b	Distribution of Molasse outcrops in the Swiss Molasse Basin.	19	Fig. 4.2	Example of transect display with explanation on transect content	50
Fig. 2.1	Distribution of seismic profiles and wells in the Swiss Molasse Basin.	23	Fig. 4.3	Details of a transect top section with explanation of DPs of different seismic profiles	51
Fig. 2.2	Distribution of the interpreted seismic profiles and wells used in this work	23	Fig. 4.4	Explanations transect legend	52
Fig. 2.3	Datum plane of the interpreted seismic profiles in the Swiss Molasse Basin	25	Fig. 4.5	Location map of main faults in the Swiss Molasse Basin.	63
Fig. 2.4	Seismic profiles reprocessed at the Institute of Geophysics, University of Lausanne.	26	Fig. 5.1	Surface extension of the geological model	69
Fig. 2.5	Reprocessing sequence for seismic profiles in the Swiss Molasse Basin	27	Fig. 5.2a	Perspective view of depth-converted seismic horizon map. Near Base Tertiary horizon	71
Fig. 2.6	Example of seismic reprocessing.	28	Fig. 5.2b	Perspective view of depth-converted seismic horizon map. Near Top Dogger horizon	71
Fig. 2.7	Examples of the three quality types of seismic profiles.	29	Fig. 5.2c	Perspective view of depth-converted seismic horizon map. Near Base Mesozoic horizon	71
Fig. 2.8	Distribution of quality types of seismic-profile display in the Swiss Molasse Basin	30	Fig. 5.3	Vertical thickness map of the Mesozoic units in the Swiss Molasse Basin	73
Fig. 3.1	Flow chart of the main working steps	32	Fig. 5.4	Vertical thickness map of the Triassic units in the Swiss Molasse Basin	75
Fig. 3.2	Example of georeferenced seismic profiles and a well superimposed on a digital geological map	33	Fig. 5.5a	Perspective view of TWT seismic-horizon surface with seismically defined faults. View from the south-west towards the northeast	76
Fig. 3.3	Example of georeferenced data along an interpreted seismic profile	33	Fig. 5.5b	Perspective view of TWT seismic-horizon surface with seismically defined faults. View from the north-east towards the southwest	77
Fig. 3.4	Example of a seismic profile calibrated with the Essertines-1 well.	35			
Fig. 3.5	Determination of two-way traveltimes and velocities from a TZ-curve measured in a well	36			
Fig. 3.6a	Thickness determination of the Cenozoic unit measured within a well	36			
Fig. 3.6b	One-way traveltimes and velocity computation for the Cenozoic unit with well reference-level above 500 m	36			
Fig. 3.6c	One-way traveltimes and velocity computation for the Cenozoic unit with well reference-level below 500 m	36			
Fig. 3.7	Homogenization of seismic horizon data points along profiles in the vicinity of the Essertines-1 well.	37			
Fig. 3.8	Example of mis-ties between two intersecting seismic profiles.	38			
Fig. 3.9	Distribution of seismic-profiles priority levels for the mis-tie reduction procedure.	39			
Fig. 3.10	Number of seismic line intersections relative to mis-tie values before and after mis-tie reduction procedure	39			
Fig. 3.11	Example of interval velocity versus depth diagram for the combined Quaternary and Tertiary units	40			

Tables

Tab. 2.1	Data types and their sources used in the Atlas for interpretation	22
Tab. 3.1	Naming conventions for seismic horizons interpreted in this work	34
Tab. 3.2	Original datum planes of the seismic surveys in the SMB and average TWT shifts necessary to adjust them to 500 m amsl.	38
Tab. 3.3a	Quality classes of seismic reflections in transects in the Cenozoic and Mesozoic units	43

Tab. 3.3b	Quality classes of non-seismically based horizons in transects in the Cenozoic and Mesozoic units	43
Tab. 3.4a	Quality classes of tectonic elements (faults) in transects: seismically based faults	44
Tab. 3.4b	Quality classes of tectonic elements (faults) in transects: non-seismically based faults	44
Tab. 3.5	Definition of reflectivity zones of the pre-Mesozoic unit in transects	45
Tab. 3.6a	Errors and estimated uncertainties in well data	46
Tab. 3.6b	Errors and estimated uncertainties in the seismic data interpretation	46
Tab. 3.7	Maximum TWT offsets observed between the interpreted seismic horizons and corresponding stratigraphic boundaries in wells	47
Tab. 4.1	Swiss Cantons in French and German with corresponding abbreviation and capital city	53

Appendices (digital files only, in pdf or xls-format)

App. 2.1	List of geological maps (1:25 000 scale) used in this Atlas
App. 2.2	List of seismic profiles compiled in this Atlas and appearing in Enclosures 1 and 2
App. 2.3a	Distribution of the paper seismic location maps used to build a georeferenced seismic-location map in the Swiss Molasse Basin (Enclosures 1 and 2)
App. 2.3b	List of seismic location maps from various companies used to build a georeferenced seismic location map in the Swiss Molasse Basin (Enclosures 1 and 2)
App. 2.4	Acquisition parameters for important seismic surveys in the Swiss Molasse Basin
App. 2.5	Well data for stratigraphic interpretation, velocity calculation and seismic horizon identification
App. 3.1	Detailed information on the mis-tie reduction calculations.
App. 3.2	Time shift applied to each seismic profile during the mi-tie reduction process.
App. 3.3	Compilation of velocity versus depth diagrams in wells for the interpreted stratigraphic units in the Swiss Molasse Basin.

Enclosures (in separate envelope and on CD-ROM)

Encl. 01	Deep seismic profiles and wells in Switzerland, respective ownership (1:250 000)
Encl. 02A	Deep seismic profiles in Switzerland with seismic location points (1:125 000); western part
Encl. 02B	Deep seismic profiles in Switzerland with seismic location points (1:125 000); central part
Encl. 02C	Deep seismic profiles in Switzerland with seismic location points (1:125 000); eastern part
Encl. 03	Transect 01: Genève (GE) Transect 02: Orbe (VD) – Morges (VD) (1:80 000)
Encl. 04	Transect 03: Lac de Joux (VD) – Villeneuve (VD) (1:80 000)
Encl. 05	Transect 04: Yvonand (VD) – Gruyères (FR) Transect 05: Estavayer-le-Lac (FR) – Le Cousimbert (FR) (1:80 000)
Encl. 06	Transect 06: Biel / Bienne (BE) – Thun (BE) (1:80 000)
Encl. 07	Transect 07: Grenchen (SO) – Kemmeribodenbad (BE) (1:80 000)
Encl. 08	Transect 08: Egerkingen (SO) – Entlebuch (LU) (1:80 000)
Encl. 09	Transect 09: Laufenburg (AG) – Schwyz (SZ) (1:80 000)
Encl. 10	Transect 10: Koblenz (TG) – Sarnen (OW) (1:80 000)
Encl. 11	Transect 11: Siblingen (SH) – Glarus (GL) (1:80 000)
Encl. 12	Transect 12: Stein am Rhein (SH) – Buchs (SG) (1:80 000)
Encl. 13	Transect 13: Kreuzlingen (TG) – Säntis (AR) (1:80 000)
Encl. 14	Transect 14: Nyon (VD) – Pfaffnau (LU) – Romanshorn (TG) (1:250 000)
Encl. 15	Transect 15: Vevey (VD) – Entlebuch (LU) – Appenzell (AI) (1:250 000)
Encl. 16	Well penetration chart
Encl. 17	Horizon maps: two-way time (1:1 000 000)
Encl. 18	Velocity maps (1:1 000 000)
Encl. 19	Horizon maps: depth (1:1 000 000)
Encl. 20	Vertical thickness maps. Difference between consecutive depth maps (1:1 000 000)
Encl. 21	Horizon maps: depth and seismically defined faults (1:500 000)
Encl. 22	Swiss Molasse Basin Overview